

CIN No. : L26943RJ1979PLC001935
Phone : 01462 228101-6
Toll Free : 1800 180 6003 / 6004
Fax : 01462 228117 / 228119
E-Mail : shreebwr@shreecementltd.com
Website : www.shreecement.in



SHREE CEMENT LTD.

Regd. Office:

BANGUR NAGAR, POST BOX NO.33, BEAWAR 305 901, RAJASTHAN, INDIA



SCL/Ras/Unit-V/Env. Statement /2019-20/ 8971

Date : 10/09/2019
Speed Post

To,
The Member Secretary,
Rajasthan Pollution Control Board,
4, Institutional Area, Jhalana Doongri Road,
JAIPUR-302004 (Rajasthan)

File No. C-055

Sub: - Environmental Statement for the period from April 2018 to March 2019 for Cement Plant Unit-V of M/s Shree Cement Limited situated at Village Ras Bhingarh, Tehsil- Jaitaran, Dist- Pali (Raj).

Ref: - (1) CTO No.- F(Tech)/Pali(Jaitaran)/2(1)/2008-2009/9344-9346 dated: 06/02/2018
(2) CTO No.- F(Tech)/Pali(Jaitaran)/2(1)/2008-2009/3112-3114 dated 08/08/2018

Respected Sir,

We are submitting herewith Environmental Statement for the period from April, 2018 to March, 2019 for Cement Plant Unit- V of M/s Shree Cement Limited situated at Vill- Ras Bhingarh, Tehsil- Jaitaran, Dist- Pali (Raj).

This is for your kind information please.

Thanking you,

Yours faithfully,

For Shree Cement Ltd;


(Dr. Anil Kumar Trivedi)
Sr. GM (Environment)

Encl: a/a

Copy to:-

1. Chief Conservator of Forests (Central), Ministry of Environment & Forests, Central Regional Office, Kendriya Bhawan, 5th Floor Sector H, Aliganj, Lucknow – 226024 (U.P.)
2. The Regional Officer (Regional Office), Rajasthan Board for the Prevention & Control of Pollution, S / A-6, Mandia Road, Industrial Area, Near Pali Urban Co-Operative Bank, PALI-MARWAR- 306401 (Raj.)

o/c Environment Department, Ras

JAIPUR OFFICE : SB-187, Babu Nagar, Opp. Rajasthan University, JLN Marg, Jaipur-302 015
Phone : 0141 4241200, 4241204, Fax : 0141 4241219

NEW DELHI OFFICE : 122-123, Hans Bhawan, 1, Bahadurshah Zafar Marg, New Delhi 110 002
Phone : 011 23370828, 23379218, 23370776, Fax : 011 23370499

CORP. OFFICE : 21, Strand Road, Kolkata 700 001 Phone : 033-22309601-4 Fax : 033 22434226

ENVIRONMENTAL STATEMENT
M/s Shree Cement Limited: Unit- V
Period from: April 2018 to: March 2019

FORM – V

PART – A

1.	Name and address of the Owner / Occupier of the Industry operation or process	Cement Plant Unit-V M/s Shree Cement Ltd. Village: Ras/Bhimgarh, Tehsil: Jaitaran, Dist:Pali - 306107 (Rajasthan)
2.	Industry Category Primary (S.T.C. Code) Secondary (S.T.C. Code)	Red Category
3.	Production Capacity	1.55 Million TPA Clinker
4.	Year of Establishment	2007
5.	Date of the last Environmental Statement Submitted	20/09/2018

PART – B

WATER AND RAW MATERIAL CONSUMPTION

(I) WATER CONSUMPTION:

Process	:	N.A. (As plant is based on dry Process technology)
Cooling and Dust suppression	:	27993 KL
Domestic	:	70430 KL (Common for Cement Plant & Power Plant)

Name of Product	Process Water Consumption per Unit of Product (Clinker) Output	
	During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)
Clinker	0.0228 MT of Clinker	0.0265 MT of Clinker

(II) RAW MATERIAL CONSUMPTION:

Name of Raw Material	Name of Product	Consumption of Raw Material Per Unit of Output (Clinker)	
		During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)
1. Limestone	Clinker	1.483	1.478
2. Laterite/Iron Ore		0.022	0.018
3. Coal & Pet Coke		0.101	0.094
4. AFR (Hazardous Waste)		0.033	0.0585
5. Sludge		0.004	0.002

(III) POWER CONSUMPTION (KWH/T OF CLINKER):

During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)
56.33	56.28

(IV) TOTAL CLINKER PRODUCTION (MT):

During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)
1183560	1055385

PART – C
DISCHARGED TO ENVIRONMENTAL / UNIT OF OUTPUT

Pollutants	Quantity of Pollutants Discharged (Mass/Day)	Concentration of Pollutants in Discharge (Mass/Value)	Percentage of variation from prescribed standard with reasons
(a)	Water	As the plant is being operated on dry process technology, no liquid effluent is generated from the cement plant. The waste water generated from the office toilet and canteen is treated in STP and treated water & sludge generated is used in horticulture activities. Analysis Report of STP treated water is attached as Annexure-3	
(b)	Air	Please refer Annexure – 1 & 2	

PART – D
HAZARDOUS WASTE

(As specified under Hazardous Wastes (Management, Handling & Trans boundary Movement Rule, 2016))

Hazardous Waste	Total Quantity (Ltrs.)	
	During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)
a) From Process (Cement manufacturing is based on “Dry Process” No Hazardous waste is generated from the process except used oil which is drained from Machinery / Equipments)	<p>Common authorization for Hazardous Waste Management & Handling for Cement Plant, Power Plant, D.G.Set and Nimbeti Limestone Mines.</p> <p>Total Quantity generated from April-2017 to March-2018 = 18270 Ltrs.</p> <p>Old Stock = 0 Ltrs.</p> <p>Total Used oil = 18270 Ltrs.</p> <p>Sold-out to registered recycler = 18270 Ltrs.</p> <p>Balance Quantity= 0 Ltrs</p>	<p>Common authorization for Hazardous Waste Management & Handling for Cement Plant, Power Plant, D.G.Set and Nimbeti Limestone Mines.</p> <p>Total Quantity generated from April-2018 to March-2019 = 12780 Ltrs.</p> <p>Old Stock = 0 Ltrs.</p> <p>Total Used oil = 12780 Ltrs.</p> <p>Sold-out to registered recycler = 0.0 Ltrs.</p> <p>Co-processed in cement kiln = 12780 Ltrs.</p> <p>Balance Quantity= 0 Ltrs</p>
(b) From Pollution Control Facilities	N.A.	N.A.

PART – E
SOLID WASTE

		Total Quantity	
		During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)
(a)	From Process	Nil	Nil
(b)	From Pollution Control Facility	Dust collected in the ESPs, Bag Houses and Bag Filters are recycled to the system.	
(c)	1. Quantity rejected or re-utilized within the unit	100%	100%
	2. Sold	Nil	Nil
	3. Disposed	Nil	Nil

PART – F

Please specify the characterization (in terms of composition and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both the categories of wastes:

Hazardous Wastes

Cement manufacturing is based on “Dry Process”. No Hazardous waste is generated from the process except used oil which is drained from Machineries / Equipment. The used oil & Lead acid batteries are sold to CPCB authorized recyclers.

Bio-Medical Wastes:

Bio-medical waste generated is common for cement plant, power plant and mines during current financial year April 2018 to March 2019 under the Bio-Medical Waste (Management & Handling) Rules 2016, are as follows.

	Bio-Medical Waste Quantity (Kg) as per Color Coding			
	Yellow	Red	Blue	White
April 2017 to March 2018	39.105	38.05	37.92	38.91
April 2018 to March 2019	39.21	28.448	41.065	32.01

Above mentioned waste has been sent to Sales Promoter, CBWTF Bio Medical Treatment Facility, Jaipur Bye Pass Road, Ajmer (Raj.) for disposal.

E- Wastes:

	Total Quantity	
	During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)
From Process	1740 Kg.	Nil
From Pollution Control Facility	Nil	Nil

Solid Wastes: - N.A.

Battery Wastes:

As specified under Batteries (Management and Handling) Amendment Rules, 2010, we have purchased following new batteries of different categories is common for cement plant, power plant and mines -

1.	Number of new batteries of different categories purchased from the manufacturer / importer / dealer or any other agency	Previous Year 1st Apr 2017 to 31st Mar 2018		Current Year 1st Apr 2018 to 31st Mar 2019	
	Category:	(i) No. of Batteries	(ii) Approximate Weight (In Metric Tonnes)	(i) No. of Batteries	(ii) Approximate Weight (In Metric Tonnes)
	(i) Automotive				
	a) Four wheeler	207	8.652	219	9.568
	b) Two wheeler	Nil	Nil	Nil	Nil
	(ii) Industrial				
	a) UPS	455	4.640	66	0.563
	b) Motive Power	Nil	Nil	Nil	Nil
	c) Stand –by	Nil	Nil	Nil	Nil
	(iii) Others	Nil	Nil	Nil	Nil
	Total	662 Nos	13.292 MT	285 Nos	10.131 MT
2.	Number of used batteries of categories mentioned in Sl. No 3 and Tonnage of scrap sent manufacturer /dealer /importer /registered recycler/or any other agency to whom the used batteries scrap was sent	Previous Year 1st Apr 2017 to 31st Mar 2018		Current Year 1st Apr 2018 to 31st Mar 2019	
	Category:	(i) No. of Batteries	(ii) Approximate Weight (In Metric Tonnes)	(i) No. of Batteries	(ii) Approximate Weight (In Metric Tonnes)
	(i) Automotive				
	a) Four wheeler	164	5.438	301	7.854
	b) Two wheeler	Nil	Nil	Nil	Nil
	(ii) Industrial				
	a) UPS	449	3.592	112	0.896
	b) Motive Power	Nil	Nil	Nil	Nil
	c) Stand –by	Nil	Nil	Nil	Nil
	(iii) Others	Nil	Nil	Nil	Nil
	Total	613 Nos	9.030 MT	413 Nos	8.750 MT

Used battery scrap was sent to CPCB authorized recycler.

PART – G

IMPACT OF THE POLLUTION CONTROL MEASURES ON CONSERVATION OF NATURAL RESOURCES AND CONSEQUENTLY ON THE COST OF PRODUCTION

M/s Shree Cement Limited is being operated on dry process technology, which is cost effective and environmentally clean technology. The advantage of dry process is also in fuel economy. The stack emissions from the plant are controlled by equipment like ESPs, Bag Houses and Bag Filters installed at various material transfer points to clean the process and arrest the fugitive emissions. The particulate matter collected in the pollution control equipment is recycled in process and neutralizing the cost of operation of pollution control equipment and hence no cost impact on the production cost.

Synthetic Gypsum is being used in place of natural gypsum thus directly conserves the mineral gypsum. Waste Heat Recovery System (WHRS) is installed at Pre- heater and cooler section for trapping gasses of high temperatures are being used for generation of Green Power which has resulted in conservation of fuel, reduction of GHG emissions and water conservation.

Company has separate AFR cell looking after the utilization of alternative fuels and raw materials. Unit is utilizing ETP sludge, Paint sludge, oily rags, waste mix solids, phosphate sludge.

PART – H

ADDITIONAL MEASURES / INVESTMENTS PROPOSAL FOR ENVIRONMENT PROTECTION INCLUDING ABATEMENT OF POLLUTION

Green belt development and tree plantation is our ongoing process. Plantation has been carried out in an area of around 63.8 hectare with (Total land: 187.56 hc.)165311 trees, which is ~34 % of the total land of plant area.

PART – I

ANY OTHER PARTICULATES FOR IMPROVING THE QUALITY OF ENVIRONMENT.

1. We have full-fledged Environment Department with three separate cells, for monitoring, maintenance of pollution control equipment and Green Belt development.
2. Monitoring of stack emission and ambient air and water quality is being done regularly.
3. Maintenance department is doing regular checking and scheduled maintenance of all the pollution control devices.
4. Civil dept. taking care of Housekeeping.
5. Horticulture Department is taking care of tree plantation and green belt development. Every year we are doing tree plantation and every year carbon

sequestration being is carried out during 2018-19, 3810.66 Tons of CO₂ was sequestrated.

6. Effective operation and maintenance of Bag House at Raw Mill & Kiln, Coal Mill, Cement mill and Cooler ESP.
7. Effective operation of cooler ESP transformer and control panel in first field to further reduce PM emission levels.
8. Constructed concreted roads at Stacker and Reclaimer area for further reduction of fugitive emissions.
9. Installed new bag filters at various application like DBC, transfer points etc.
10. Modification of Coal Mill Bag House for further reduction of Particulate emissions.
11. Installed NO_x mitigation systems in all cement kilns (Unit-3-10) as pollution control measure to achieve prescribed standards.

We are enclosing herewith following documents: -

Annexure-1: Stack Emission monitoring report.

Annexure-2: Ambient Air Quality (PM₁₀, PM_{2.5}, SO₂ and NO₂) & Ambient Noise Level monitoring report

Annexure-3: STP treated water test report

Annexure: 1

Shree Cement Limited, Ras : Unit-V
Stack Emission monitoring Report (PM, SO₂ & NO_x)

All values in mg/Nm³

Year: 2018-2019

S. No.	Month	Raw Mill & Kiln Stack			Coal Mill Stack	Clinker Cooler Stack
		PM	NO _x	SO ₂	PM	PM
1	Apr-18	13	725	17.6	15	7
2	May-18	9	755	11.4	17	8
3	Jun-18	16	724	0	15	7
4	Jul-18	12	755	6	10	8
5	Aug-18	14	631	8.6	12	7
6	Sep-18	11	665	6.2	14	6
7	Oct-18	10	647	0	13	6
8	Nov-18	9	678	0	16	9
9	Dec-18	10	678	0	7	16
10	Jan-19	12	692	15	9	18
11	Feb-19	13	726	10	11	10
12	Mar-19	10	589	7.1	21	8
Average		12	689	7	13	9

Shree Cement Ltd, Ras																
Ambient Air Quality ($\mu\text{g}/\text{M}^3$) Monitoring Report For The Period Of April 2018 To March 2019																
Common for Cement plant & Power plant																
Year:-2018-2019																
Location →	Plant Boundary Near Main Gate				Plant Boundary Near Mess				Plant Boundary towards Stack & Reclaimer				Plant boundary towards village Khera & Jawangarh			
	AAQ in $\mu\text{g}/\text{M}^3$				AAQ in $\mu\text{g}/\text{M}^3$				AAQ in $\mu\text{g}/\text{M}^3$				AAQ in $\mu\text{g}/\text{M}^3$			
Parameter →	PM 2.5	PM-10	SO ₂	NO ₂	PM 2.5	PM 10	SO ₂	NO ₂	PM 2.5	PM 10	SO ₂	NO ₂	PM 2.5	PM 10	SO ₂	NO ₂
Apr-18	36.1	54.8	7.9	12.1	31.0	48.6	8.2	11.0	28.3	47.8	7.7	11.1	25.6	46.8	7.2	10.8
May-18	34.6	53.3	7.7	11.3	31.6	48.3	9.2	11.4	30.6	47.0	8.1	10.8	27.1	46.9	7.5	10.6
Jun-18	33.6	51.1	7.9	10.9	32.5	44.8	8.6	10.8	31.8	47.8	7.7	10.6	29.0	46.3	7.3	10.3
Jul-18	30.8	48.3	7.9	10.4	31.0	47.6	8.4	10.5	31.5	45.4	7.8	10.3	29.1	44.8	7.4	9.9
Aug-18	28.5	46.3	8.1	10.7	28.9	46.5	8.6	10.1	27.8	43.3	8.0	10.4	25.0	39.3	7.6	10.1
Sep-18	29.0	48.4	8.2	10.3	29.4	49.0	8.3	10.6	31.1	48.0	8.0	10.6	28.4	44.9	7.6	10.2
Oct-18	30.1	45.1	8.4	10.9	34.4	45.1	9.0	11.1	37.6	45.9	8.9	10.9	33.1	44.6	8.4	10.5
Nov-18	28.5	41.9	8.6	10.6	36.5	45.9	8.8	10.9	37.3	43.8	9.0	10.8	33.5	45.5	8.6	10.3
Dec-18	33.4	49.6	9.3	11.7	30.4	43.0	10.1	11.5	33.5	47.9	9.2	11.5	31.5	46.3	8.8	11.2
Jan-19	34.6	45.2	8.9	12.0	33.5	41.9	9.1	11.9	36.8	40.9	8.8	11.9	32.0	43.5	8.5	11.5
Feb-19	36.5	52.4	8.7	12.3	31.6	46.6	8.5	12.3	32.0	45.9	8.2	12.1	28.1	43.0	7.9	11.7
Mar-19	36.3	52.0	14.4	11.6	33.3	47.8	8.8	11.5	35.8	48.3	9.4	11.5	29.5	42.0	9.2	11.1
Average	32.7	49.0	8.8	11.2	32.0	46.3	8.8	11.1	32.8	46.0	8.4	11.0	29.3	44.5	8.0	10.7

Shree Cement Ltd, Ras								
<u>Ambient Noise Level dB(A) Monitoring Report For The Period Of April 2018 To March 2019</u>								
<u>Common for Cement plant & Power plant</u>								
<u>Year:-2018-2019</u>								
Location →	Plant Boundary Near Main Gate		Plant Boundary Near Mess		Plant Boundary towards Stacker & Reclaimer		Plant boundry towards village Khera & Jawangarh	
	Noise Level in dB(A)		Noise Level in dB(A)		Noise Level in dB(A)		Noise Level in dB(A)	
Parameter →	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	Apr-18	71.20	66.90	72.60	65.50	70.60	60.70	68.90
May-18	72.40	67.20	70.30	64.80	67.60	61.20	65.10	60.30
Jun-18	70.60	64.20	72.60	63.40	66.40	61.60	63.60	59.20
Jul-18	68.20	59.30	70.30	62.60	65.20	61.90	62.30	58.20
Aug-18	71.30	59.90	68.60	61.30	67.20	62.20	61.90	57.50
Sep-18	68.20	59.30	70.30	62.60	65.20	61.90	62.30	58.20
Oct-18	70.10	58.20	64.00	60.10	71.50	63.30	63.30	55.50
Nov-18	65.00	56.90	71.00	60.50	68.50	60.10	60.10	57.10
Dec-18	71.20	59.90	70.20	57.50	65.30	60.80	61.00	59.90
Jan-19	73.10	62.90	70.60	61.70	67.40	62.50	64.30	60.40
Feb-19	72.80	63.20	69.20	60.90	68.60	66.90	63.50	61.40
Mar-19	71.50	62.70	70.20	61.30	67.30	69.10	62.30	58.10
Average	70.5	61.7	70.0	61.9	67.6	62.7	63.2	59.0

(STP Treated Water Quality, Year 2018-2019)														
S. No.	Parameter ↓	Apr-18	May-18	Jun-18	Jul-18	Aug-18	Sep-18	Oct-18	Nov-18	Dec-18	Jan-19	Feb-19	Mar-19	Avg.
1	pH	7.29	7.3	7.33	7.26	7.66	7.36	7.26	7.31	7.22	7.39	7.5	7.44	7.36
2	Total Suspended Solids	42.3	46.3	48.2	42.1	46.6	48.2	56	43.2	40.3	43.6	40	42	44.90
3	Oil and Grease	3.1	3.4	3.1	3.9	2.95	1.56	2.04	1.8	1.8	2	<4.0	2.53	3.1
4	BOD 3days 27°C	18.4	17.5	15.7	13.2	15	16.7	15.3	17.9	11.2	13.3	11.9	24	15.84
5	COD	89.3	92.3	90.1	98.5	95.1	86.5	95.3	89.2	98.1	135	146	62.9	98.19