



# SHREE CEMENT LTD.

An ISO 9001, 14001, 45001 & 50001 Certified Company

Regd. Office

BANGUR NAGAR, POST BOX NO.-33, BEAWAR 305901, RAJASTHAN, INDIA

SCL/Nawalgarh/Colony/MoEF&CC/2022-2023/

10<sup>th</sup> November, 2022

To

Deputy Director General of Forests (C),  
Integrated Regional Office, Jaipur,  
Ministry of Environment, Forest & Climate Change,  
A-209&218, Aranya Bhawan, Mahatma Gandhi Road,  
Jhalana Institutional Area, Jaipur – 304002, Rajasthan

Sub: - Compliance status of conditions stipulated in Environment Clearance issued for Residential Township, (total plot area 8.42 Ha. (84,189.76 Sq. mt.) and proposed total built up area of 57069.58 Sq. mt.) at Village – Gothra, Tehsil – Nawalgarh, District - Jhunjhunu, Rajasthan.

Ref: - SEIAA Environment Clearance letter no. F1(4)/SEIAA/SEAC-Raj/Sectt/Project/Cat. 8(a)B2(19579/2019-20 dated 26.08.2021

Dear Sir,

With reference to above subject and referred letters, we are submitting herewith the compliance status of conditions stipulated in the Environment for Residential Township Project at Khasra No. 763, 764, 765, 773, 776, 778, 779, 780, 781, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 805, 806, 808 and 809, total plot area 8.42 Ha. (84,189.76 Sq. mt.) and proposed total built up area of 57069.58 Sq. mt. at Village – Gothra, Tehsil – Nawalgarh, District – Jhunjhunu, Rajasthan, for the period from April-2022 to September-2022.

This is for your kind information and perusal please.

Thanking you,

Yours faithfully,

For Shree Cement Ltd.

(Dr. Anil Kumar Trivedi)

Asstt. Vice President (Environment)

Encls: As above

CCto:

1. The In-Charge (Zonal Office), Central Pollution Control Board (CPCB), Vithal Market, Paryavaran Parisar, E-5, Arera Colony, Bhopal, Madhya Pradesh 462016
2. The Member Secretary, Rajasthan Pollution Control Board, 4, Institutional Area, Jhalana Doongri, JAIPUR-302004 (Rajasthan).
3. The Regional Officer (Regional Office), Rajasthan State Pollution Control Board, C.P.1/90, Raj complex, 1st Floor, RIICO Industrial Area Phase-2, Jhunjhunu (Raj.)

NEW ORLEANS OFFICE: 122-123, Home Division, 1, Poydras Street, New Orleans, Louisiana 70112  
Phone: (504) 525-0025, 525-0077  
FAX: (504) 525-0078  
LABOR OFFICE: 88-107, Poydras Street, Home Division, 1, Poydras Street, New Orleans, Louisiana 70112  
Phone: (504) 525-0025, 525-0077

Compliance Status of conditions stipulated

in

State Level Environment Clearance

Letter No. F1(4)/SEIIAA/SEAC-Raj/Sectt/Project/Cat. 8(a)B2(19579/2019-20 dated 26.08.2021

Dated 15/07/2009 & 29.09.2016

by

Shree Cement Limited

village-Gothra, Tehsil-Nawalgarh, District-Jhunjhunu (Rajasthan)

For the period of

April-2022 to September-2022

Sr. No.	Condition	Compliance
<b>I-Statutory compliance</b>		
i.	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Noted. All necessary permission will be obtained before commencement of work.
ii.	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.	Noted. All necessary approval of the Competent Authority will be obtained for structural safety of buildings.
iii.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	Noted. All necessary permission will be obtained, if applicable.
iv.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not applicable as no any National park, wildlife sanctuary etc. falls in project area.
v.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.	Noted. We will obtained the necessary permission from the SPCB.
vi.	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.	Permission for withdrawal of 1200 KLD groundwater has been obtained from CGWA vide letter No. 21-4 (258)/WR/CGWA/2008-567 dated 05th August, 2008. Renewal of NOC has been obtained from CGWA vide letter No. CGWA/NOC/IND/REN/1/2022/7128 dated 01 <sup>st</sup> January, 2021, Valid up to 31/12/2023.

vii.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Noted. All necessary permission will be obtained.
viii.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	Noted. All other statutory clearances will be obtained.
ix.	The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.	Noted. Waste management rules will be followed.
x.	The project proponent shall follow the ECBC/ ECBC -R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.	Noted.

## II .Air quality monitoring and preservation

i.	Notification GSR 94(E) dated 25.01.2018 of MoEF &CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.	Noted.
ii.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	Noted.
iii.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant to the main pollutants released(e.g. PM10 and PM25) covering upwind and downwind directions during the construction period.	Ambient Air Quality monitoring will be carried out as per CPCB guidelines.
iv.	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low Sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	All adequate measures i.e stack height, acoustic enclosure, use of low sulphure diesel etc. will be followed to comply with the Environment (Protection) Act, 1986.
v.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well	Noted. All the necessary measures will be adopted to reduce the impact on environment.

	as taking out debris from the site.	
vi.	Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	Noted. Measures will be taken to prevent dust pollution.
vii.	Wet jet shall be provided for grinding and stone cutting.	Noted.
viii.	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	Water sprinkling will be provided for dust suppression.
ix.	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.	Noted.
x.	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	Noted.
xi.	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	All necessary measures i.e. adequate stack height, acoustic enclosure, use of low sulphur diesel etc. will be followed to comply with provisions of the Central Pollution Control Board (CPCB) norms.
xii.	For indoor air quality the ventilation provisions as per National Building Code of India.	NBC code will be followed.

### III- Water quality monitoring and preservation

I.	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.	Noted.
II.	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done	Noted.
III.	Total fresh water use shall not exceed the proposed requirement as provided in the project details	Noted.
IV.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Noted. The same will be submitted to Regional Office, MoEF&CC along with six monthly compliance report.
V.	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	Noted.
VI.	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc.	Noted.

	would he considered as pervious surface.	
VII.	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Noted.
VIII.	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.	Noted.
IX.	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	Noted.
X.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Noted.
XI.	The local bye-law provisions on rain water harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.	Noted.
XII.	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	Noted.
XIII.	All recharge should be limited to shallow aquifer.	Noted.
XIV.	No ground water shall be used during construction phase of the project.	Noted.
XV.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	Not applicable.
XVI.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Noted. All the measures will be taken for harvesting of rain water and recharge of ground water. The same will be submit to MoEF&CC along with six monthly Monitoring reports.
XVII.	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.	Noted. STP treated water will be 100% reuse for green belt development.
XVIII.	No sewage or untreated effluent water would be discharged through storm water drains.	Noted. STP will be installed for the treatment of domestic sewage. treated water will be used in plantation and greenbelt development. No sewage or untreated effluent water will

		discharged outside the premises.
XIX.	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.	Noted. STP will be installed for treatment of domestic sewage, treated water will be used in plantation and greenbelt development.
XX.	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	Noted.
XXI.	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013	Noted.

#### IV- Noise monitoring and prevention

I.	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.	Noted. Noise level monitoring will be done on regular basis to conform to the stipulated standards by CPCB / SPCB.
II.	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Noise level monitoring will be carried out on per monitoring plan and reports will be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
III.	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	Noise mitigation measure i.e. Acoustic enclosures, noise barriers, ear plugs etc will adopted to reduce noise impact.

#### V- Energy Conservation measures

i.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.	Noted.
----	---	--------

ii.	Outdoor and common area lighting shall be LED.	Noted.
iii.	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.	Noted.
iv.	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.	Noted.
v.	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1 % of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.	Noted.
vi.	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Noted.
<b>VI-Waste Management</b>		
vii.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M S.W. generated from project shall be obtained.	Noted.
viii.	Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Noted.
ix.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	Noted. Solid waste will be segregated into separate bins for wet garbage and inert materials.
x.	Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.	Noted.
xi.	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.	Noted.

xii.	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Noted.
xiii.	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.	Noted.
xiv.	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August,2003 and 25 <sup>th</sup> January, 2016. Ready mixed concrete must be used in building construction.	Noted.
xv.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.	Noted.
xvi.	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.	Noted.

#### VII-Green Cover

i.	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).	Noted.
ii.	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.	Noted.
iii.	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.	Noted.
iv.	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the	Noted.

	proposed vegetation on site.	
<b>VIII- Transport</b>		
(I)	A comprehensive mobility plan, as per MoU1) best practices guidelines (URDPFI), shall be prepared to include motorized, non-Motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.	Noted.
(II)	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards he operated only during non-peak hours.	Noted.
(III)	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	Noted.
<b>IX- Human health issues</b>		
i.	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Necessary PPE's will provided to all workers.
ii.	For indoor air quality the ventilation provisions as per National Building Code of India..	Noted.
iii.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan will be implemented

iv.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Provision will be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc..
v.	Occupational health surveillance of the workers shall be done on a regular basis.	Occupational health surveillance of the workers will be done and records of the same will be maintained on a regular basis.
vi.	A-First Aid Room shall be provided in the project both during construction and operations of the project.	Noted.

#### X. Corporate Environment Responsibility

(I)	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No.22-65/2017-IA dated 1st may 2018, as, applicable, regarding Corporate Environment Responsibility.	Rs. 77.0 lacks has been earmarked against Corporate Environment Responsibility. This amount will be incurred during construction and operation phase.
(II)	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have e proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms /conditions. The company shall have defined system of reporting infringements /deviation / violation of the environmental/ forest / wildlife norms / conditions and / or shareholder's / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF & CC as a part of six-monthly report.	Environmental policy duly approved by the Board of Directors is enclosed as <b>Annexure- I</b> .
(III)	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive. who will directly to the head of the organization.	Noted.
(IV)	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	Noted.

#### XI- Miscellaneous

i.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.	Environmental Clearance information has been published in two local Newspaper i.e. Dainik Bhaskar and Rajasthan Patrika on dated 06.10.2021. Copy of News Paper Advertisement is given as Annexure- II.
ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Agreed and we have submitted the copy of environmental clearance letter to Gram Panchayat- Gothra, Nagar Palika- Nawalgarh, Zila Parishad- Jhunjhunu, Tehsildar- Nawalgarh and District Collector- Jhunjhunu, Rajasthan on dated 20.10.2021. Kindly refer Annexure- III.
iii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Noted. Status of compliance of the stipulated environment clearance conditions will be upload in company website.
iv.	The project proponent shall submit six-monthly reports on the status of the compliance o the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Noted.
v.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted. We will submit Form-V & display on the company website.
vi.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted.
vii.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted.
viii.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Noted.
ix.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF & CC).	Noted. Necessary permission will obtained before any expansion/modification, if applicable.
x.	Concealing factual data or submission of false / fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act,1986.	Noted.

xi.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.
xii.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted.
xiii.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/Monitoring reports.	Noted.
xiv.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / high Courts and any other Court of Law relating to. the subject matter.	Noted.
xv.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.

**SHREE CEMENT LIMITED**

BANGUR NAGAR, BEAWAR, RAJASTHAN

**ENVIRONMENT POLICY**

- To ensure Clean, Green and Healthy Environment through:
- ✓ Efficient use of natural resources, energy, plant & equipment.
  - ✓ Reduction in emissions, noise, waste and greenhouse gases.
  - ✓ Promotion to reuse and recycling wastes.
  - ✓ Continual improvement in environment management with proper systems to prevent, mitigate and control environmental impacts due to operations across the value chain and in local community.
  - ✓ Building awareness amongst all stakeholders including employees, customers, vendors etc. on environmental issues.
  - ✓ Compliance of relevant environmental legislations by implementing the Environmental Management System
  - ✓ Reporting of non-compliances (in any) of the conditions of environment clearance / consent / NOC/ authorization and permission etc relevant to the environmental conditions as and when occurs to the Whole Time Director by the respective Unit Head and Functional Head ( Environment) so as to fulfil the deviation from the compliances within the prescribed time line.

Signature

(P.N.Chhangani)

**Whole Time Director**Date: 29<sup>th</sup> August, 2019



DATE	DESCRIPTION