



SHREE CEMENT LIMITED

(UNIT-SHREE RAIPUR CEMENT PLANT)

Village: Khaparadih, Tehsil: Simga, Distt. Baloda Bazar-Bhatapara (C.G) Pin: 493332,
Ph.:07727-203101, CIN No. : L26943RJ1979PLC001935



SRCP/ENV/2022-23/88

Date: 12/09/2022

To,
The Member Secretary,
Chhattisgarh Environment Conservation Board,
Paryavas Bhavan, North Block, Sector-19
Naya Raipur (C.G)

Sub: - Submission of Environment Statement for the year 2021-22 by Shree Lime Stone mine (A unit of Shree Cement Ltd.) located at Village Semaradih and Bharuwadih in Baloda Bazar - Bhatapara District (Chhattisgarh).

Ref: Consent to Operate (Air & Water) letter No.- 5246/TS/CECB/2021, dated 21/10/2021.


Dear Sir,

With reference to the above subject matter, we are submitting herewith the **Environmental Statement in Form-V** for the year **2021-22** of Shree Lime Stone Mine located at Village Semaradih and Bharuwadih in Baloda Bazar - Bhatapara District (Chhattisgarh).

Hope you will find this in Order.

Thanking you,

Yours faithfully,
For Shree Raipur Cement Plant
(A unit of Shree Cement Ltd.)


Amit Chauhan
Asst. General Manager (Mines Manager)
Shree Limestone Mines
SRCP
Unit-Shree Cement Ltd.

Enclosed: - As above.

CC to: - Regional Officer, Chhattisgarh Environment Conservation Board, Commercial Complex, Chhattisgarh Housing Board Colony Kabir Nagar, Raipur (C.G.) - 492099



ENVIRONMENTAL STATEMENT
FORM – V
(Shree Lime Stone Mine)
Period from: April 2021 to March 2022

PART – A

1.	Name and address of the Owner / Occupier of the Industry operation or process	Shree Lime Stone Mines M/s Shree Cement Limited Village - Bharuadih - Semradih, Tahsil – Balodabazar, Distt – Baloda Bazar -Bhatapara Chhattisgarh – 493332
2.	Industry Category Primary (S.T.C. Code) Secondary (S.T.C. Code)	Red Category
3.	Production Capacity	8.6 Million TPA Limestone
4.	Year of Establishment	2015
5.	Date of the last Environmental Statement Submitted	31/08/2021

PART – B

WATER AND RAW MATERIAL CONSUMPTION

(I) WATER CONSUMPTION:

Process	:	N.A.
Cooling and dust Suppression	:	196.63 KLD
Domestic	:	0.99 KLD

Name of Product	Process Water Consumption per Unit of Product Output (KL/MT of Lime stone)	
	During Previous Financial Year (2020-21)	During Current Financial Year (2021-22)
Limestone mine	0.0073	0.0123

(II) RAW MATERIAL CONSUMPTION:

Name of Raw Materials	Name of Products	Consumption of raw material per unit of output	
		During Previous Financial Year (2020-21)	During Current Financial Year (2021-22)
Lime Stone	Crushed cement grade Limestone	57,67,492 MT	52,83,713 MT

(III) **POWER CONSUMPTION (KWH/T OF LIMESTONE):**

During Previous Financial Year (2020-21)	During Current Financial Year (2021-22)
1.44	1.48

(IV) **TOTAL LIMESTONE PRODUCTION (MT):**

During Previous Financial Year (2020-21)	During Current Financial Year (2021-22)
57,67,492 MT	52,83,713 MT

PART – C

DISCHARGED TO ENVIRONMENTAL / UNIT OF OUTPUT

Pollutants	Quantity of Pollutants Discharged (Mass/Day)	Concentration of Pollutants in Discharge (Mass/Value)	Percentage of variation from prescribed standard with reasons
(a) Water	No waste water is discharged outside the premises.	Waste water generated from office toilets is treated with septic tank followed by soak pit. Waste water generated from workshop has some traces of oil and grease which is separated in oil and grease separator and filtered water is reused for washing purpose.	
(b) Air	Air	Please refer Annexure – 1 & 2	

PART – D

HAZARDOUS WASTE

(As specified under Hazardous & other wastes (Management and Transboundary Movement) Rule, 2016)

Hazardous Waste	Total Quantity (KL)	
	During Previous Financial Year (2020-21)	During Current Financial Year (2021-22)
(a) From Process	Used Oil (Cat. 5.1): 10.42 KL (Common for Cement plant & Mines)	Used Oil (Cat. 5.1): 11 KL (Only for Mines)
(b) From Pollution Control Facilities	Nil	Nil

PART – E
SOLID WASTE

		Total Quantity (MT)	
		During Previous Financial Year (2020-21)	During Current Financial Year (2021-22)
(a)	From Process	Not Applicable	
(b)	From Pollution Control Facility	Nil.	
(c)	1. Quantity rejected or re- utilized within the unit	Not Applicable	
	2. Sold	Not Applicable	
	3. Disposed (During mining of limestone disposed of overburden)		
	a. Top soil for reclamation (MT)	8,944	0
	a. Over burden (MT)	34,07,083	46,51,400
	b. Total Qty (MT)	34,16,027	46,51,400

Note: - Overburden is being dumped along with mine lease area and Plantation is also being done on the overburden.

PART – F

Please specify the characterization (in terms of composition and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both the categories of wastes:

Hazardous Wastes

Used oil which is drained from Machineries/Equipment's and the store department collected & stores hazardous waste at specified location as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 from where the hazardous waste is being sold out to authorized recyclers.

April, 2021 to March, 2022	Hazardous Waste total Quantity (KL)	
	During Previous Financial Year (2020-21)	During Current Financial Year (2021-22)
	Used Oil (Cat. 5.1): 10.42 KL (Common for Cement plant & Mines)	Used Oil (Cat. 5.1): 11 KL (Only for Mines)

Battery Wastes:

April, 2021 to March, 2022	Total Quantity (MT) (Common for Cement plant & Mines)	
	During Previous Financial Year (2020-21)	During Current Financial Year (2021-22)
	Nil	9.36

Note- Battery Waste sold to authorized recycler.

E-WASTE-

E- waste generated during current financial year April, 2021 to March, 2022 under the E-Waste (Management) Rules, 2016, are as follows.

April, 2021 to March, 2022	Total Quantity (MT) (Common for Cement plant & Mines)	
	During Previous Financial Year (2020-21)	During Current Financial Year (2021-22)
	9.340	Nil

Note- E-Waste sold to authorized recycler.

Bio-Medical Wastes:

Bio-medical waste generated during current financial year April, 2021 to March, 2022 under the Bio-Medical Waste Management Rules, 2016, are as follows.

April, 2021 to March, 2022	Bio-Medical Waste Quantity (Kg) (Common for Cement plant & Mines)			
	(Cat. -Yellow)	(Cat. - Red)	(Cat. -White)	(Cat.-Blue)
	17.73	11.47	14.14	16.95

Note- Above mentioned waste has been sent to M/s SMS Watergrace Enviroprotect Pvt. Ltd., CBWTF, Common Bio Medical Waste Treatment Facility, Raipur (C.G.) for disposal.

PART – G

IMPACT OF THE POLLUTION CONTROL MEASURES ON CONSERVATION OF NATURAL RESOURCES AND CONSEQUENTLY ON THE COST OF PRODUCTION

1. Low grade limestone is blended with high grade lime stone for conservation of Mineral as well as increase of reserves.
2. Diverting runoff water into mine pit to accumulate rain water during rainfall. This accumulated water utilized for Cement plant, dust suppression purposes & plantation purpose.
3. Developed water harvesting pond for conservation as well to improve water table of area.

4. Topsoil is stacked separately & utilized for plantation purpose.
5. Plantation is being done regularly on OB Dumps, along haulage roads & gap filling within the mines lease area etc.

PART – H

ADDITIONAL MEASURES / INVESTMENTS PROPOSAL FOR ENVIRONMENT PROTECTION INCLUDING ABATEMENT OF POLLUTION

1. Garland drains all around the waste dump yard have been made for channelizing the surface runoff and stabilization of dump.
2. Over burden dumps has been stabilized by proper benching as per approved mining plan. It is also stabilized by plantation with suitable native species.
3. Waste is stacked in non-mineralized zone/area inside mining lease area as per approved mining plan.
4. Bag filter is installed at crusher I & II for control of fugitive dust.
5. Drilling is being done by Wet Drilling Machine equipped with water injection system and dust extraction system.
6. Blasting is being done by as per working permission of DGMS under regulation 106 of MMR1961.
7. Controlled Blasting is being done by latest technology by using shock tube detonators of down the hole delay (in millisecond) as well as trunk line delay (in millisecond) to control noise level, vibration and fly rock. Which is regularly monitored by latest series of Seismograph Micro mate.
8. Provided Two Mobile Water Tankers with capacity of 20 KL & 18 KL engaged for Water spraying on haul road.
9. Water spraying arrangement / Dust suppression system has been provided at the unloading point of limestone crusher hopper & Discharge end of belt conveyor.
10. Fugitive dust at loading point is controlled by pressurized water mist spray arrangement of water tanker.
11. Installed 1.5 km pipe conveyor system from Crusher-I to Cement plant for transportation of limestone so there are no fugitive emissions as there is no transfer point.
12. Installed 3.3 KM length closed conveyor from crusher-II to plant for transportation of limestone. Bag filters has installed at transfer point to reduce fugitive emission.
13. Constructed permanent CC road having length of 1.8 Km from mine Crusher-I to plant, so that there is no dust formation along the permanent road.
14. All HEMMs are provided with AC operator's cabin to overcome noise & dust pollution as well as fatigue sensor to improve operator efficiency.
15. All HEMM machines are Komatsu Japan having certification of American standards EPA (Environment Protection Agency) Tier-2 & Tier-3 as producing low NOx & SO₂ within permissible limit.
16. At present there is no Inter burden generated from our mining operations.
17. At present Total 2,09,886 samplings planted in mining area with native species.
18. The funds earmarked for Environmental Protection measures are being utilized. Total expenditure incurred during the period April-2021 to March-2022 are as under-

Sl. No.	Description	Amount in Rs.
1	Sewage Treatment Plant	1,92,870
2	Technical Consultancy & Monitoring	43,99,731
3	Plantation	1,26,52,231
4	Housekeeping & Vacuum Sweeping	5,38,58,697
5	Energy Consumption in Pollution Control Devices	19,43,01,705
6	Rates & Taxes	33,35,036
Total		26,87,40,270

Note- Environment expenditure incurred for SRCP Cement Plant & Lime Stone Mines.

PART – I

ANY OTHER PARTICULATES FOR IMPROVING THE QUALITY OF ENVIRONMENT.

1. All the operators having provided PPE including Earplug & Ear muff to meet out noise pollution and regular noise survey being done at all HEMM.
2. Regular dust survey being carried out as per DGMS Norms.
3. Two Rock breaker machines being used for breaking of oversize boulders instead of secondary blasting which eliminates vibration, noise, fly rocks & reducing greenhouse gases which are caused due to secondary blasting.
4. Wet drilling system with water injection system and dust extraction system being used while drilling so that dust is suppressed immediately.
5. Blasting is being done by using slurry explosive and ANFO, having low velocity of detonation therefore it will reduce air pollution as well as ground vibration. NONEL blasting system is used to reduce ground vibration.
6. Constructed grease and oil separation chambers at washing ramp to avoid water pollution. Oil and grease is separated from water by gravity action & filtered water is reused for washing purpose.
7. Installed 4 numbers of online Ambient Air Quality Monitoring Stations.
8. Maintenance department is doing regular checking and scheduled maintenance of all the pollution control devices.

On support of above, we are enclosing herewith following: -

Annexure-1: Stack Emission monitoring report.

Annexure-2: Ambient Air Quality Monitoring Report.

**Shree Lime Stone Mines
(A Unit of Shree Cement Ltd)
Crusher Stack Emission Monitoring Report (2021-22)**

Name of stack	Primary crusher - I	Primary crusher - II
Month	PM (30 mg/Nm³)	PM (30 mg/Nm³)
Apr-21	14.84	15.67
May-21	13.54	16.21
Jun-21	15.65	16.41
Jul-21	14.15	17.34
Aug-21	15.34	16.52
Sep-21	14.28	15.73
Oct-21	14.85	13.42
Nov-21	13.55	15.72
Dec-21	12.65	14.36
Jan-22	13.8	12.84
Feb-22	15.2	13.84
Mar-22	18.2	14.6
Avg.	14.67	15.22

Amel

**Shree Lime Stone Mines
(A Unit of Shree Cement Ltd)**

**Online Ambient Air Quality Monitoring Report (All value in µg/m³)
Period from April 2021 to March 2022**

Location	Parameters	Norms (µg/m ³)	Unit	Apr-21	May-21	Jun-21	Jul-21	Aug-21	Sep-21	Oct-21	Nov-21	Dec-21	Jan-22	Feb-22	Mar-22	Avg.
				µg/m ³												
AAQMS 1 (Mines boundary towards village Bharuvadh)	PM ₁₀	100		34.18	37.88	34.94	27.05	36.17	26.36	48.08	54.94	42.87	46.67	44.62	70.45	42.02
	PM _{2.5}	60		22.14	22.57	17.39	14.42	19.32	14.09	27.77	31.33	22.94	21.82	25.34	36.33	22.96
	SO ₂	80		13.31	16.24	4.91	4.28	4.23	4.21	4.19	4.01	3.96	3.93	3.89	12.96	6.68
AAQMS 2 (Mines boundary towards village Semradh)	NO ₂	80		0.89	2.63	3.63	3.71	3.62	3.55	3.61	4.08	4.41	4.43	4.41	4.47	3.62
	PM ₁₀	100		54.98	34.38	38.46	34.46	42.93	31.50	51.73	57.74	52.90	43.86	55.57	73.43	47.66
	PM _{2.5}	60		25.46	15.37	17.69	15.23	15.97	14.46	26.05	32.91	28.60	21.57	29.31	35.89	23.21
AAQMS 3 (Plant Boundary towards South Diction)	SO ₂	80		10.73	10.01	10.15	10.28	11.48	12.59	12.95	11.61	8.70	8.30	7.88	10.32	10.42
	NO ₂	80		7.16	6.68	6.77	6.86	7.65	8.39	8.63	9.71	9.75	9.48	9.00	4.59	7.89
	PM ₁₀	100		46.15	41.34	34.82	28.76	39.27	30.04	49.68	57.53	52.90	52.02	51.70	70.37	46.21
AAQMS 4 (Plant Boundary towards village Kharpradh)	PM _{2.5}	60		26.85	23.64	18.79	12.27	17.82	15.03	28.26	27.01	24.83	18.79	25.74	37.67	23.06
	SO ₂	80		6.31	6.99	6.50	6.34	6.92	7.02	6.86	7.29	6.98	8.85	7.29	6.33	6.97
	NO ₂	80		7.89	8.73	8.13	7.93	8.65	8.77	8.57	9.11	8.72	11.06	9.92	3.53	8.42
AAQMS 4 (Plant Boundary towards village Kharpradh)	PM ₁₀	100		54.37	38.39	39.75	33.99	47.30	33.71	54.98	57.95	49.40	48.57	51.01	56.13	47.13
	PM _{2.5}	60		32.66	15.37	19.84	14.80	20.71	15.35	28.38	31.16	28.78	21.58	17.28	23.63	22.46
	SO ₂	80		5.39	5.69	5.73	5.84	6.72	7.55	6.29	5.13	3.46	3.49	3.44	6.16	5.41
	NO ₂	80		12.57	12.57	9.63	9.19	9.16	8.70	9.12	9.30	9.21	9.27	9.18	5.25	9.43

Amresh