

o/c

CIN No. : L26943RJ1979PLC001935  
Phone : 01462 228101-6  
Toll Free : 1800 180 6003 / 6004  
Fax : 01462 228117 / 228119  
E-Mail : shreebwr@shreecementltd.com  
Website : www.shreecement.in



# SHREE CEMENT LTD.

Regd. Office:

BANGUR NAGAR, POST BOX NO.33, BEAWAR 305 901, RAJASTHAN, INDIA



SCL/Beawar/Dispensary/ 2020-21/ 4351

Date:-25/06/2020  
Regd. A. D.

To,  
The in charge (Regional office),  
Rajasthan state pollution control board,  
SPL-II, 5th phase, RIICO Ind area,  
Kishangarh.

Sub: - Submission of the annual report of the Dispensary of M/s Shree Cement Ltd, Beawar (Ajmer) for the Year 2019.

Ref: - Authorization letter F(BMW)/Ajmer(Beawar)/3(1)/2010-2011/1878-1879 dated 22-09-2016

Dear Sir,

We are submitting herewith the annual report under the Bio-Medical Waste Management Rules, 2016 and amendment rule, 2018 for Dispensary of M/s Shree Cement Ltd, situated near Vill: Andheri Deori, Tehsil – Masuda, District – Ajmer (Rajasthan). For the Year 2019.

Thanking you,

Yours faithfully,

For Shree Cement Limited; Beawar

(Dr. Anil Kumar Trivedi)  
Sr. G.M (Environment)

Copy to: -

1. The Member Secretary, Rajasthan State Pollution Control Board  
, Institutional Area, Jhalana Doongri, JAIPUR – 302 004 (Raj)



**FORM - IV**  
(See rule 13)

**ANNUAL REPORT**  
**(January 18 to December 18)**

**[To be submitted to the prescribed authority by 30 June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility(CBWTF)]**

S. No	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Dr. Anil Kumar Trivedi(Sr. General Manager Environment) Shree Cement Limited, Bangur Nagar, P.B. No. 33, BEAWAR-305901, Dist. - Ajmer (Rajasthan), Tel. No. - 01462-228101 to 228106, Fax No. - 01462-228117 / 228119.
	(ii) Name of HCF or CBMWTF	:	Shree Cement Dispensary
	(iii) Address for Correspondence	:	M/s Shree Cement Limited, Vill: Andheri Deori, Tehsil – Masuda, District – Ajmer (Rajasthan).
	(iv) Address of Facility	:	Vill: Andheri Deori, Tehsil – Masuda, District – Ajmer (Rajasthan).
	(v) Tel. No, Fax. No	:	Tel. No. - 01462-228101 to 228106, Fax No. - 01462-228117 / 228119.
	(vi) E-mail ID	:	trivedianilkumar@shreecement.com
	(vii) URL of Website	:	www.shreecement.com
	(viii) GPS coordinates of HCF or CBMWTF	:	26°04'56.08" N, 74°22'30.84" E
	(ix) Ownership of HCF or CBMWTF	:	HCF: Shree Cement Ltd.
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization taken, Authorization letter No. F(BMW)/Ajmer(Beawar)/3(1)/2010-2011/1878-1879 dated 22-09-2016
	(xi). Status of Consents under Water Act and Air Act	:	Authorization letter No. F(BMW)/Ajmer(Beawar)/3(1)/2010-2011/1878-1879 dated 22-09-2016
2	Type of Health Care Facility		
	(i) Bedded Hospital	:	No. of Beds: 10 beds
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary	:	Not Applicable



	Hospital or any other)																																						
	(iii) License number and its date of expiry	:	Not Applicable																																				
3	Details of CBMWTF																																						
	(i) Number healthcare facilities covered by CBMWTF	:	Not Applicable																																				
	(ii) No of beds covered by CBMWTF	:	Not Applicable																																				
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	0 Kg per day																																				
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	0 Kg/day																																				
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 288 kg Red Category : 205 kg Blue: 250 kg White Category : 0 kg General Solid waste: Nil																																				
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		Bio medical waste is sorted in color coded containers and transferred to authorized recyclers.																																				
	(i) Details of the on-site storage facility	:	Size : Not Applicable Capacity: Not Applicable Provision of on-site storage : (cold storage or any other provision) Not Applicable																																				
	(ii) Disposal facility	:	<table> <tr> <th>Type of treatment</th><th>No of units</th><th>Capacity Kg/day</th><th>Quantity treated or disposed in kg per annum</th></tr> <tr> <td>Incinerators</td><td>Nil</td><td>Nil</td><td>Nil</td></tr> <tr> <td>Plasma Pyrolysis</td><td>Nil</td><td>Nil</td><td>Nil</td></tr> <tr> <td>Autoclaves</td><td>1</td><td>1000 sets/Month (at M/s Shree cement Ltd)</td><td></td></tr> <tr> <td>Microwave</td><td>Nil</td><td>Nil</td><td>Nil</td></tr> <tr> <td>Hydroclave</td><td>Nil</td><td>Nil</td><td>Nil</td></tr> <tr> <td>Shredder</td><td>Nil</td><td>Nil</td><td>Nil</td></tr> <tr> <td>Needle tip cutter or destroyer</td><td>1</td><td>100000/Month (at M/s Shree cement Ltd)</td><td></td></tr> <tr> <td>Sharps</td><td>Nil</td><td>Nil</td><td>Nil</td></tr> </table>	Type of treatment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators	Nil	Nil	Nil	Plasma Pyrolysis	Nil	Nil	Nil	Autoclaves	1	1000 sets/Month (at M/s Shree cement Ltd)		Microwave	Nil	Nil	Nil	Hydroclave	Nil	Nil	Nil	Shredder	Nil	Nil	Nil	Needle tip cutter or destroyer	1	100000/Month (at M/s Shree cement Ltd)		Sharps	Nil	Nil	Nil
Type of treatment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																				
Incinerators	Nil	Nil	Nil																																				
Plasma Pyrolysis	Nil	Nil	Nil																																				
Autoclaves	1	1000 sets/Month (at M/s Shree cement Ltd)																																					
Microwave	Nil	Nil	Nil																																				
Hydroclave	Nil	Nil	Nil																																				
Shredder	Nil	Nil	Nil																																				
Needle tip cutter or destroyer	1	100000/Month (at M/s Shree cement Ltd)																																					
Sharps	Nil	Nil	Nil																																				




			encapsulation or concrete pit			
			Deep burial pits:	Nil	Nil	Nil
			Chemical disinfection:	-	-	-
			Any other treatment equipment:	Nil	Nil	Nil
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum	:	Nil			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	Nil			
	(v) Details of incineration ash and ETP, sludge generated and disposed during the treatment of wastes in Kg per annum	:		Quantity generated	Where disposed	
			Incineration ash	Nil	Nil	
			ETP sludge	Nil	Nil	
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Anil Jain CBMWTF Jaipur Bye Pass Road, Ajmer Mob: 9829790903			
	(vii) List of member HCF not handed over bio-medical waste.	:	Not Applicable			
6	Do you have Bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	Not Applicable			
7	Details trainings conducted on BMW					
	(i) Number of trainings conducted on BMW Management.	:	1			
	(ii) number of personnel trained	:	10			
	(iii) number of personnel trained at the time of induction	:	All			



	(iv) number of personnel not undergone any training so far	:	Nil
	(v) whether standard manual for training is available?	:	Yes
	(vi) any other information)	:	Nil
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred	:	Nil
	(ii) Number of the persons affected	:	Nil
	(iii) Remedial Action taken (Please attach details if any)	:	Nil
	(iv) Any Fatality occurred, details.	:	Nil
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	Not Applicable
	Details of Continuous online emission monitoring systems installed	:	Not Applicable
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	Not Applicable
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	Not Applicable
12	Any other relevant information	:	Nil

Certified that the above report is for the period from January-2019 to December-2019

Date : 25/06/2020  
Place : Beawar, Rajasthan

  
(Dr. S.N. Pandey)  
Medical Officer In-charge




Shree Cement Dispensary at Beawar  
Form -I  
{(See rule 4(O), 5(I) and 15 (2))}  
Accident Reporting

Unit Name – Shree Cement Dispensary (M/s Shree Cement Ltd.), Near Vill:- Beawar,  
Andheri Deori, Tehsil – Masuda, District – Ajmer (Rajasthan).

Period:- Jan 19 to Dec 19


1	Date and time of accident	Nil
2	Type of Accident	Nil
3	Sequence of events leading to accident	Nil
4	Has the Authority been informed immediately	Not Applicable
5	The type of waste involved in accident	Not Applicable
6	Assessment of the effects of the accidents on human health and the environment	Not Applicable
7	Emergency measures taken	Not Applicable
8	Steps taken to alleviate the effects of accidents	Not Applicable
9	Steps taken to prevent the recurrence of such an accident	Not Applicable
10	Does your facility has an emergency control policy? If yes give details	Not Applicable



Date:- 25.06.2020

Place: Beawar

Signature



Dr. Anil Kumar Trivedi

Designation: Sr. GM (Environment)