

o/c

CIN No. : L26943RJ1979PLC001935
Phone : 01462 228101-6
Toll Free : 1800 180 6003 / 6004
Fax : 01462 228117 / 228119
E-Mail : shreebwr@shreecementltd.com
Website : www.shreecement.in



SHREE CEMENT LTD.

Regd. Office:

BANGUR NAGAR, POST BOX NO.33, BEAWAR 305 901, RAJASTHAN, INDIA



SCL/A.P./ENV/2019-20/ 11335

Date: 25/11/2019

To,
The Regional Director,
South Zone, Ministry of Environment Forest and Climate Change,
Southern region, 1st & 2nd Floor, HEPC Building,
No. 34, Cathedral Garden Road, Nungambakkam, Chennai – 600034

Sub: - Six monthly Compliance report of environmental clearance for proposed clinker (2.4 MTPA), Cement (4 MTPA), Captive Power Plant (25 MW) and Waste heat recovery power generation (15 MW) by M/s Shree Cement Limited situated near Village-Pedagarlapadu, Mandal Karempudi, District-Guntur, Andhra Pradesh

Ref: - EC letter No. letter no. J-11011/165/2014-IA. II (I) dated: 20th May 2019

Dear Sir,

Kindly refer to the above subject matter and referred EC letter. We are submitting herewith the compliance report for the period from **April-2019 to September-2019**.

This is for your necessary submission please.

Thanking you,

Yours faithfully,

For Shree Cement Ltd.

(Dr. Anil Kumar Trivedi)
Sr. General Manager (Environment)

Copy to:

- 1) Zonal Officer, CPCB, 1st & 2nd Floors, NisargaBhavan, A-Block, Thimmaiah Main Road, 7th D Cross, Shivanagar, Opp-Pushpanjali Theatre, Bengaluru-560079
- 2) The Member Secretary, Andhra Pradesh Pollution Control Board, D. No. 33-26-14 D/2, Near Sunrise Hospital, Pushpa Hotel Centre, Chalamavari Street, Kasturibaipet, Vijaywada-520010

JAIPUR OFFICE : SB-187, Bapu Nagar, Opp. Rajasthan University, JLN Marg, Jaipur-302 015

Phone : 0141 4241200, 4241204, Fax : 0141 4241219

NEW DELHI OFFICE : 122-123, Hans Bhawan, 1, Bahadurshah Zafar Marg, New Delhi 110 002

Phone : 011 23370828, 23379218, 23370776, Fax : 011 23370499

CORP. OFFICE : 21, Strand Road, Kolkata 700 001 Phone : 033-22309601-4 Fax : 033 22434226

**SHREE CEMENT LIMITED; Village-Pedagarlapadu,
Mandal Karempudi, District-Guntur, Andhra Pradesh**
COMPLIANCE STATUS OF ENVIRONMENT CLEARANCE LETTER NO.: J-11011/165/2014-IA. II (I) dated: 20th May 2019
May -2019 to September-2019

| S. No | Specific Conditions | Compliances status |
|----------|--|--|
| (i) | The water requirement for the Plant shall be limited to 850 KLD of Ground Water and RO Reject generation shall be 80 KLD and Sewage Generation shall be 75 KLD. The water requirement for the Colony shall be restricted 500 KLD of Ground Water and the Sewage Generation shall be not be more than 300 KLD. | Noted & will be complied. Project work has not started yet. |
| (ii) | The project proponent shall use at least 2% of alternate fuel (waste) in the co-incineration. | Noted & will be complied. Project work has not started yet. |
| (iii) | Existing one-lane road stretch from plant to nearest rural road shall be developed to two-lane road. | Noted and will be complied. |
| A | Statutory compliance: | |
| (i) | The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government. | Noted and we will follow the stipulations made by the State Pollution Control Board and the state government. |
| (ii) | No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC). | Noted and No further expansion or modifications in the plant will be carried out without prior approval of the competent authority. |
| (iii) | The waste oil, grease and other hazardous shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016. | Noted and Used/spent oil (Cat. 5.1) will be generated and disposed through sales to CPCB/SPCB authorized recycler and pre-processors. |
| (iv) | The storage of NH ₃ and other hazardous chemicals at the site shall be as per the provisions of Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 as amended from time to time. | Noted and will be complied. |
| B | Monitoring of compliance | |
| i | The project proponent shall send a copy of environmental clearance letter to the heads of Local Bodies, Panchayat, Municipal bodies and relevant offices of the Government. | Complied and Copy of the same enclosed as Annexure-I |
| ii | The project proponent shall put on the clearance letter on the web site of the company for access to the public. | Complied. Environment clearance letter available at the website of the Company. |
| iii | The project proponent shall inform the public through advertisement within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment, Forests and Climate Change (MoEF&CC) at http://envfor.nic.in | Complied. Environment clearance has been published within seven days in two newspapers of the district & State, which one in the vernacular language. Copy of the same enclosed as Annexure-II |

| | | |
|----------|---|--|
| iv | The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same periodically. | Noted & EC compliance reports including results of monitored data will be uploaded in company website |
| V | The project proponent shall monitor the criteria pollutants level namely; PM10, 502, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects' and display the same at a convenient location for disclosure to the public and put on the website of the company. | Noted and monitored data will be displayed at a convenient location for disclosure to the public and website of the company. |
| vi | The project proponent shall submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MoEF&CC the respective Zonal Office of CPCB and the SPCB. | Noted and six monthly compliance report including results of monitored data (both in hard copies as well as by e-mail) will be submitted to the Regional Office of MoEF&CC the respective Zonal Office of CPCB and the SPCB. |
| vii | The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company. | Noted and Form-V will be submitted to the State Pollution Control Board as well as put on the website of the company. |
| viii | The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work. | Noted and will be complied. |
| ix | The project proponent shall adhere to the corporate environmental policy and system of the reporting of any infringements/ non-compliance of EC conditions at least once in a year to the Board of Directors and the copy of the board resolution shall be submitted to the MoEF&CC as a part of six-monthly report. | Noted and will be complied. |
| x | A dedicated environmental cell with qualified personnel shall be established. The head of the environment cell shall report directly to the head of the organization. | Environment Management Cell with qualified staff will be establish. |
| C | Air quality monitoring and preservation | |
| i | The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 (G.S.R. No. 612 (E) dated 25th August, 2014 (Cement) and subsequent amendment dated 9th May, 2016 (Cement) and 10th May, 2016 (Co-processing Cement); S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. | 04 NOs. CAAQMS will be established at plant boundary. |

| | | |
|------|--|--|
| ii | The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986. | Agreed with. Fugitive emission will be monitor in the plant premises once in every quarter through labs recognised under Environment (Protection) Act, 1986. |
| iii | The project proponent shall install system carryout to Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM ₁₀ and PM _{2.5} in reference to PM emission, and SO ₂ and NO _x in reference to SO ₂ and NO _x emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. | Noted and Continuous Ambient Air Quality monitoring system will be installed at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. |
| iv | The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report. | Agreed with. Monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emission will be submit with six-monthly monitoring report. |
| v | Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards. | Noted and Air Pollution Control (APC) system will be provided for all the dust generating points including fugitive dust from all vulnerable sources for the compliance of prescribed stack emission and fugitive emission standards. |
| vi | The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags. | Noted and leakage detection and mechanised bag cleaning facilities will be provided for better maintenance of bags. |
| vii | Pollution control system in the cement plant shall be provided as per the CREP guidelines of CPCB. | CREP guidelines will be followed. |
| viii | Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly. | Agreed with. Vacuum cleaners will be provided for better housekeeping. |
| ix | Recycle and reuse lime fines, coal fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after agglomeration. | Noted and all fines materials will be recycle and reuse in the process. |
| x | Ensure covered transportation and conveying of ore, coal and other raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash; | Agreed with. Covered transportation, conveying of raw material and closed bulkers will be used. |
| xi | Provide wind shelter fence and chemical spraying on the raw material stock piles; and | Agreed with. Wind shelter fence and dust suppression system will be provided for the control of fugitive emissions. |
| xii | Provide Low NO _x burners as primary measures and SCR /NSCR technologies as secondary measure to control NO _x emissions. Have separate truck parking area and monitor vehicular emissions at regular interval. | Agreed with. NO _x control measures and Separate truck parking will be made and only PUC certified vehicle will be allowed. |
| xiii | Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways | Agreed with. Covered conveyor belts with the provision of bag filters at transfer points will be used for the transport of the raw materials and end product |

| | | |
|----------|--|--|
| | as a mode of transport | to reduce the impact on surrounding environment. |
| xiv | Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, cement bagging plants. | Noted and Ventilation system will be provided for adequate air changes as per ACGIH guidelines. |
| D | Water quality monitoring and preservation | |
| i | The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612(E) dated 25 th August, 2014 (Cement) and subsequent amendment dated 9 th May, 2016 (Cement) and 10 th May, 2016 (in case of Co-processing Cement) as amended from time to time; S.O. 3305 (E) dated 7 th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL Accredited laboratories. | No industrial waste water will be generated from Cement Plant as dry process. However RO reject waste water will be generated and the same will be used in mill spray. No waste water will be discharge outside the plant. Domestic waste water will be treated in STP and will be recycled for Green Belt development. |
| ii | The project proponent shall monitor regularly ground water at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories. | Agreed with. Ground water quality will be monitored twice a year (pre and post monsoon) through recognised labs and piezometer wells for the monitoring of ground water levels. |
| iii | The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report. | Noted. Six monthly report will be submitted to the regional office of MoEF&CC, Zonal office of CPCB and Regional office of SPCB. |
| iv | Adhere to 'Zero Liquid Discharge'. | Agreed with. Zero liquid discharge will be complied. |
| v | Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards. | Domestic waste water will be treated in STP and will be recycled for Green Belt development. |
| vi | Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off. | Noted and Garland drains and collection pits will be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off. |
| vii | The project proponent shall practice rainwater harvesting to maximum possible extent. | Agreed with. Rainwater harvesting practice will be adopt to recharge the ground water. |
| viii | Water meters shall be provided at the inlet to all unit processes in the cement plant. | Agreed with. Water metres will be provided at the inlet to all processes in the cement plant. |
| ix | The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water. | Agreed with. Efforts will be made to minimize water consumption. Domestic effluent will be treated STP and treated water will be used on land for gardening. |

| | | |
|----------|--|---|
| E | Noise monitoring and prevention | |
| i | The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time. | Agreed with. Acoustic hoods, silencers, enclosures will be provided for meeting the ambient noise standards. |
| F | Energy Conservation measures | |
| i | Waste heat recovery system shall be provided for kiln and cooler. | Noted and Waste heat recovery system will be provided for kiln and cooler. |
| ii | The project proponent make efforts to achieve power consumption less than 65 units/tonne for Portland Pozzolona Cemen (PPC) and 85 units/tonne for Ordinary Portland Cement (OPC) production and thermal energy consumption of 670 Kcal/Kg of clinker. | Noted and effort will be made to achieve power consumption as prescribed. |
| iii | Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly. | Agreed with. Solar power generation arrangements will be provided on roof tops of buildings, for solar light system at all common areas, street lights, parking area and will maintain the same regularly. |
| iv | Provide the project proponent for LED lights in their offices and residential areas. | Agreed with. LED lights will be provided in offices and residential areas. |
| v | Maximize utilization of fly ash, slag and sweetener in cement blend as per standards. | Agreed with. Fly ash will be used in cement manufacturing as per BIS standards |
| vi | Maximize utilization of alternate fuels and Co-processing to achieve best practice norms | Noted and alternate fuels will be used in Co-processing to as per best practice norms. |
| G | Waste Management | |
| i | Used refractories shall be recycled as far as possible. | Noted and used refractories will be recycled as far as possible. |
| ii | Kitchen waste shall be composted or converted to biogas for further use.(to be decided on case to case basis depending on type and size of plant) | Noted and will be complied. |
| H | Green Belt and EMP | |
| i | Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant | Agreed with. Green Belt will be developed as per CPCB guidelines. |
| ii | The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation. | Agreed with. Company will follow the Cement Sustainability Initiative (CSI) CO2 and "Energy Accounting and Reporting Standard for the Cement Industry" for the calculation of the GHG emissions. |
| iii | The Capital cost Rs. 50 crore and annual recurring cost Rs. 1.0 Crore towards the environmental protection measures shall be earmarked separately. The funds so provided shall not be diverted for any other purpose. | Noted and will be complied. |
| iv | The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and that during their presentation to the EAC | Noted and will be complied. |

| | | |
|----------|---|--|
| I | Public hearing and Human health issues | |
| i | Emergency preparedness plan based on the Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented. | Noted. Emergency preparedness plan and disaster management plan shall be implemented will be implemented. |
| ii | The PP shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act. | Noted and heat stress analysis for the workmen and Noted and adequate PPEs will be provide as per the norms of factory Act. |
| iii | Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project. | Noted. Provision will be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, Medical Health Care, crèche etc. |
| iv | Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act. | Noted. Occupational health surveillance program for workers will be done on regular basis and records maintained as per the factory Act. |
| v | The commitment made by the project proponent to the issues raised during Public Hearing shall be implemented by the proponent | Noted and will be complied. |
| J | Corporate Environment Responsibility | |
| i | An amount of' Rs14:17 proposed towards Corporate Social Responsibility (CER) shall be utilized as capital expenditure in project mode as per the provisions of Office Memorandum vide F.No. 22-65/2017-IA.III dated 1 st May 2018. The project shall be completed in concurrence with the implementation of the expansion and estimated on the basis of Scheduled Rates. | Noted and will be complied. |
| ii | All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the cement plants shall be implemented. | Agreed with. Company will comply the provision regarding Corporate Environment Responsibility through implementation of EMP & CSR activities. |

F. No. J-11011/165/2014-IA.II(I)
 Government of India
 Ministry of Environment, Forest and Climate Change
 (Impact Assessment Division)

Indira Paryavaran Bhawan
 Jor Bagh Road, Aliganj,
 New Delhi - 110003
 E-mail: dirind-moefcc@gov.in
 Tel: 011-24695368
 Dated: 20.05.2019

To
 M/s Shree Cement Ltd
 122-123, Hans Bhawan,
 1, Bhadurshah Zafar Marg,
 New Delhi-110002.

Subject: Greenfield integrated cement project consisting of clinker (2.4 MTPA), cement (4MTPA), captive power plant (25 MW) and waste heat recovery power generation (15 MW) of M/s Shree Cement Ltd located at Village Pedagarlapadu, Mamdal Karempudi, District Guntur, Andhra Pradesh- Environmental Clearance regarding.

Sir,

This is reference to your online application vide proposal no. **IA/AP/IND/26358/2014** on 23.02.2016 along with copies of EIA/EMP report seeking environmental clearance under the provisions of the EIA Notification, 2006 for the project mentioned above and communication received to MoEF&CC vide letter SCL/EC/AP/2018-19 dated 26.12.2018. The proposed project activity is listed at Sl. No. 3(b) Cement Plants under category 'A' of the Schedule of EIA Notification, 2006. Therefore, the proposal is appraised at the Central Level.


2.0 The Proposed Greenfield Integrated Cement Plant Project of M/s Shree Cement Limited located in Village Pedagarlapadu Tehsil Dachepalli District Guntur State Andhra Pradesh was initially received in the Ministry on 15th April 2014 for obtaining Terms of Reference (TOR) as per EIA Notification, 2006. The project was appraised by the Expert Appraisal Committee (Industry) [EAC (I)] during its meeting held on 23.06.2014 and prescribed TORs to the project for undertaking detailed EIA study for the purpose of obtaining environmental clearance. Accordingly, the Ministry of Environment, Forest and Climate Change had prescribed TORs for conducting EIA study vide Lr. No. J.11011/165/2014-IA.II (I) dated 11.08.2014.

4.0 The project of M/s Shree Cement Ltd. located in Village Pedagarlapadu, Tehsil Dachepalli, District Guntur, AP is for setting up of a new Greenfield integrated Cement Plant for production of 2.4 Million Tons Per Annum Clinker, 4.0 Million Tons Per Annum Cement, 25 MW Captive Power Plant (CPP), 15 MW Waste Heat Recovery Power Generation (WHRS) and Residential Colony.

FB

received copy

Page 1 of 10


 PANCHAYAT SECRETARY
 Pedagarlapadu Gram Panchayat
 Dachepalli Mandal, Guntur Dist.

PANCHAYAT SECRETARY
 PEDDAGARLAPADU GRAM PANCHAYAT
 DACHEPALI MANDAL,
 GUNTUR DIST.

F. No. J-11011/165/2014-IA.II(I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Jor Bagh Road, Aliganj,
New Delhi - 110003
E-mail: dirind-moefcc@gov.in
Tel: 011-24695368
Dated: 20.05.2019

To
M/s Shree Cement Ltd
122-123, Hans Bhawan,
1, Bhadurshah Zafar Marg,
New Delhi-110002.

Subject: Greenfield Integrated cement project consisting of clinker (2.4 MTPA), cement (4MTPA), captive power plant (25 MW) and waste heat recovery power generation (15 MW) of M/s Shree Cement Ltd located at Village Pedagarlapadu, Mamdal Karempudi, District Guntur, Andhra Pradesh- Environmental Clearance regarding.

Sir,

This is reference to your online application vide proposal no. **IA/AP/IND/26358/2014** on 23.02.2016 along with copies of EIA/EMP report seeking environmental clearance under the provisions of the EIA Notification, 2006 for the project mentioned above and communication received to MoEF&CC vide letter SCL/EC/AP/2018-19 dated 26.12.2018. The proposed project activity is listed at Sl. No. 3(b) Cement Plants under category 'A' of the Schedule of EIA Notification, 2006. Therefore, the proposal is appraised at the Central Level.

2.0 The Proposed Greenfield Integrated Cement Plant Project of M/s Shree Cement Limited located in Village Pedagarlapadu Tehsil Dachepalli District Guntur State Andhra Pradesh was initially received in the Ministry on 15th April 2014 for obtaining Terms of Reference (TOR) as per EIA Notification, 2006. The project was appraised by the Expert Appraisal Committee (Industry) [EAC (I)] during its meeting held on 23.06.2014 and prescribed TORs to the project for undertaking detailed EIA study for the purpose of obtaining environmental clearance. Accordingly, the Ministry of Environment, Forest and Climate Change had prescribed ToRs for conducting EIA study vide Lr. No. J.11011/165/2014-IA.II (I) dated 11.08.2014.

4.0 The project of M/s Shree Cement Ltd. located in Village Pedagarlapadu, Tehsil Dachepalli, District Guntur, AP is for setting up of a new Greenfield Integrated Cement Plant for production of 2.4 Million Tons Per Annum Clinker, 4.0 Million Tons Per Annum Cement, 25 MW Captive Power Plant (CPP), 15 MW Waste Heat Recovery Power Generation (WHRS) and Residential Colony.

Page 1 of 10



*MRO - DACHEPALLY MANDAL
GUNTUR DIST.*

F. No. J-11011/165/2014-IA.II(I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Jor Bagh Road, Aliganj,
New Delhi - 110003
E-mail: dirind-moefcc@gov.in
Tel: 011-24695368
Dated: 20.05.2019

To
M/s Shree Cement Ltd
122-123, Hans Bhawan,
1, Bhadurshah Zafar Marg,
New Delhi-110002.

Subject: Greenfield integrated cement project consisting of clinker (2.4 MTPA), cement (4MTPA), captive power plant (25 MW) and waste heat recovery power generation (15 MW) of M/s Shree Cement Ltd located at Village Pedagarlapadu, Mamdal Karempudi, District Guntur, Andhra Pradesh- Environmental Clearance regarding.

Sir,

This is reference to your online application vide proposal no. **IA/AP/IND/26358/2014** on 23.02.2016 along with copies of EIA/EMP report seeking environmental clearance under the provisions of the EIA Notification, 2006 for the project mentioned above and communication received to MoEF&CC vide letter SCL/EC/AP/2018-19 dated 26.12.2018. The proposed project activity is listed at Sl. No. 3(b) Cement Plants under category 'A' of the Schedule of EIA Notification, 2006. Therefore, the proposal is appraised at the Central Level.

2.0 The Proposed Greenfield Integrated Cement Plant Project of M/s Shree Cement Limited located in Village Pedagarlapadu Tehsil Dachepalli District Guntur State Andhra Pradesh was initially received in the Ministry on 15th April 2014 for obtaining Terms of Reference (TOR) as per EIA Notification, 2006. The project was appraised by the Expert Appraisal Committee (Industry) [EAC (I)] during its meeting held on 23.06.2014 and prescribed TORs to the project for undertaking detailed EIA study for the purpose of obtaining environmental clearance. Accordingly, the Ministry of Environment, Forest and Climate Change had prescribed TORs for conducting EIA study vide Lr. No. J.11011/165/2014-IA.II (I) dated 11.08.2014.

4.0 The project of M/s Shree Cement Ltd. located in Village Pedagarlapadu, Tehsil Dachepalli, District Guntur, AP is for setting up of a new Greenfield integrated Cement Plant for production of 2.4 Million Tons Per Annum Clinker, 4.0 Million Tons Per Annum Cement, 25 MW Captive Power Plant (CPP), 15 MW Waste Heat Recovery Power Generation (WHRS) and Residential Colony.

Page 1 of 10



RDO - GURASALA
GUNTUR DIST.

F. No. J-11011/165/2014-IA.II(I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Jor Bagh Road, Aliganj,
New Delhi - 110003
E-mail: dirind-moefcc@gov.in
Tel: 011-24695368
Dated: 20.05.2019

To
M/s Shree Cement Ltd
122-123, Hans Bhawan,
1, Bhadurshah Zafar Marg,
New Delhi-110002.

Subject: Greenfield integrated cement project consisting of clinker (2.4 MTPA), cement (4MTPA), captive power plant (25 MW) and waste heat recovery power generation (15 MW) of M/s Shree Cement Ltd located at Village Pedagarlapadu, Mamdal Karempudi, District Guntur, Andhra Pradesh- Environmental Clearance regarding.

Sir,

This is reference to your online application vide proposal no. **IA/AP/IND/26358/2014** on 23.02.2016 along with copies of EIA/EMP report seeking environmental clearance under the provisions of the EIA Notification, 2006 for the project mentioned above and communication received to MoEF&CC vide letter SCL/EC/AP/2018-19 dated 26.12.2018. The proposed project activity is listed at Sl. No. 3(b) Cement Plants under category 'A' of the Schedule of EIA Notification, 2006. Therefore, the proposal is appraised at the Central Level.

2.0 The Proposed Greenfield Integrated Cement Plant Project of M/s Shree Cement Limited located in Village Pedagarlapadu Tehsil Dachepalli District Guntur State Andhra Pradesh was initially received in the Ministry on 15th April 2014 for obtaining Terms of Reference (TOR) as per EIA Notification, 2006. The project was appraised by the Expert Appraisal Committee (Industry) [EAC (I)] during its meeting held on 23.06.2014 and prescribed TORs to the project for undertaking detailed EIA study for the purpose of obtaining environmental clearance. Accordingly, the Ministry of Environment, Forest and Climate Change had prescribed TORs for conducting EIA study vide Lr. No. J.11011/165/2014-IA.II (I) dated 11.08.2014.

4.0 The project of M/s Shree Cement Ltd. located in Village Pedagarlapadu, Tehsil Dachepalli, District Guntur, AP is for setting up of a new Greenfield integrated Cement Plant for production of 2.4 Million Tons Per Annum Clinker, 4.0 Million Tons Per Annum Cement, 25 MW Captive Power Plant (CPP), 15 MW Waste Heat Recovery Power Generation (WHRS) and Residential Colony.

Page 1 of 10



DC- GUNTUR.

F. No. J-11011/165/2014-IA.II(I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Jor Bagh Road, Aliganj,
New Delhi - 110003
E-mail: dirind-moefcc@gov.in
Tel: 011-24695368
Dated: 20.05.2019

To
M/s Shree Cement Ltd
122-123, Hans Bhawan,
1, Bhadurshah Zafar Marg,
New Delhi-110002.

Subject: Greenfield integrated cement project consisting of clinker (2.4 MTPA), cement (4MTPA), captive power plant (25 MW) and waste heat recovery power generation (15 MW) of M/s Shree Cement Ltd located at Village Pedagarlapedu, Mamdai Karempudi, District Guntur, Andhra Pradesh- Environmental Clearance regarding.

Sir,

This is reference to your online application vide proposal no. **IA/AP/IND/26358/2014** on 23.02.2016 along with copies of EIA/EMP report seeking environmental clearance under the provisions of the EIA Notification, 2006 for the project mentioned above and communication received to MoEF&CC vide letter SCL/EC/AP/2018-19 dated 26.12.2018. The proposed project activity is listed at Sl. No. 3(b) Cement Plants under category 'A' of the Schedule of EIA Notification, 2006. Therefore, the proposal is appraised at the Central Level.

2.0 The Proposed Greenfield Integrated Cement Plant Project of M/s Shree Cement Limited located in Village Pedagarlapedu Tehsil Dachepalli District Guntur State Andhra Pradesh was initially received in the Ministry on 15th April 2014 for obtaining Terms of Reference (TOR) as per EIA Notification, 2006. The project was appraised by the Expert Appraisal Committee (Industry) [EAC (I)] during its meeting held on 23.06.2014 and prescribed TORs to the project for undertaking detailed EIA study for the purpose of obtaining environmental clearance. Accordingly, the Ministry of Environment, Forest and Climate Change had prescribed ToRs for conducting EIA study vide Lr. No. J.11011/165/2014-IA.II (I) dated 11.08.2014.

4.0 The project of M/s Shree Cement Ltd. located in Village Pedagarlapedu, Tehsil Dachepalli, District Guntur, AP is for setting up of a new Greenfield integrated Cement Plant for production of 2.4 Million Tons Per Annum Clinker, 4.0 Million Tons Per Annum Cement, 25 MW Captive Power Plant (CPP), 15 MW Waste Heat Recovery Power Generation (WHRS) and Residential Colony.

Page 1 of 10



DIC - GUNTUR

F. No. J-11011/165/2014-IA.II(I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Jor Bagh Road, Aliganj,
New Delhi - 110003
E-mail: dirind-moefcc@gov.in
Tel: 011-24695368
Dated: 20.05.2019

To
M/s Shree Cement Ltd
122-123, Hans Bhawan,
1, Bhadurshah Zafar Marg,
New Delhi-110002.

Subject: Greenfield integrated cement project consisting of clinker (2.4 MTPA), cement (4MTPA), captive power plant (25 MW) and waste heat recovery power generation (15 MW) of M/s Shree Cement Ltd located at Village Pedagarlapadu, Mamdal Karempudi, District Guntur, Andhra Pradesh- Environmental Clearance regarding.


Sir,

This is reference to your online application vide proposal no. **IA/AP/IND/26358/2014** on 23.02.2016 along with copies of EIA/EMP report seeking environmental clearance under the provisions of the EIA Notification, 2006 for the project mentioned above and communication received to MoEF&CC vide letter SCL/EC/AP/2018-19 dated 26.12.2018. The proposed project activity is listed at Sl. No. 3(b) Cement Plants under category 'A' of the Schedule of EIA Notification, 2006. Therefore, the proposal is appraised at the Central Level.

2.0 The Proposed Greenfield Integrated Cement Plant Project of M/s Shree Cement Limited located in Village Pedagarlapadu Tehsil Dachepalli District Guntur State Andhra Pradesh was initially received in the Ministry on 15th April 2014 for obtaining Terms of Reference (TOR) as per EIA Notification, 2006. The project was appraised by the Expert Appraisal Committee (Industry) [EAC (I)] during its meeting held on 23.06.2014 and prescribed TORs to the project for undertaking detailed EIA study for the purpose of obtaining environmental clearance. Accordingly, the Ministry of Environment, Forest and Climate Change had prescribed ToRs for conducting EIA study vide Lr. No. J.11011/165/2014-IA.II (I) dated 11.08.2014.

4.0 The project of M/s Shree Cement Ltd. located in Village Pedagarlapadu, Tehsil Dachepalli, District Guntur, AP is for setting up of a new Greenfield integrated Cement Plant for production of 2.4 Million Tons Per Annum Clinker, 4.0 Million Tons Per Annum Cement, 25 MW Captive Power Plant (CPP), 15 MW Waste Heat Recovery Power Generation (WHRS) and Residential Colony.

Page 1 of 10



APJIC - GUNTUR.



Bitter attack

Owaisi makes light of 'vishwas', says Modi has two words to his 'stale'



Modi's speech was a guideline not only to the new MPs but to all representatives

— N. Ramchander Rao
BJP MLC

IN BRIEF

Car, lorry catch fire after crash

Hyderabad: At Gandipet

incident occurred at K Pathur village in V Kota mandal of Chittoor district.

According to V Kota sub-inspector B. Ravi Prakash Reddy, Ramudu beat his father and slammed him against a wall. Gurrappa sustained severe head injuries and died on the spot.

Ramudu was stated to be a quarrelsome drunkard. On Sunday, when the family sat for lunch, Gurrappa scolded his daughter-in-law, Ramudu's wife, for not cooking mutton curry properly and threw the plate at her. She suffered minor injuries. On seeing this, Ramudu attacked his father.

The police suspects that Ramudu was aided by another son of the Gurrappa and the daughter-in-law in the murder.

Bills to

Two

JAYENDRA CHAITHANY
HYDERABAD.

The traffic doing their implement Vehicles At the e-challa but drivers are one step thinking up to avoid being the cameras.

After receiving a complaint, the police were investigating the motorist's complaint late on Saturday.

Police said, the police, who rushed to the spot.

Police said, the police, who rushed to the spot.

Police said, the police, who rushed to the spot.

Police said, the police, who rushed to the spot.

Police said, the police, who rushed to the spot.

Police said, the police, who rushed to the spot.

4-YR-OLD KILLED, 11 INJURED IN TWO ACCIDENTS

DC CORRESPONDENT
HYDERABAD, MAY 26

A four-year-old boy died and 11 others were injured in two separate road accidents in a span of 12 hours in the city. All the three incidents took place on the Outer Ring Road and involved heavy vehicles.

In the first instance, a four-year-old boy died when the car in which he was travelling was hit by a speeding lorry at the ORR toll gate at Shamirpet. Police said that the accident occurred at about 10.45 pm on Saturday night.

A family of three including a four-year-old boy with

the police, who rushed to the spot.

City

₹2.2-cr ganja from cargo truck

DC CORRESPONDENT
VIJAYAWADA, MAY 26

Acting on a tip-off, officers of the Directorate of Revenue Intelligence, Vijayawada, intercepted a cargo vehicle on Friday and seized 1.137.30kg of ganja valued at ₹2.27 crore that was being transported illegally.

The massive quantity of ganja was hidden under a load of phosphogypsum, which is a byproduct of the manufacture of fertiliser from phosphate rock.

The DRI said on Sunday informed that its officers had stopped the lorry which was

■ The ty of under phoggy byprod factur

carrying Hydera the N area. hidden cala. T ganja three DRI of police started

Inserted by:
Loving Parents, Sisters, Brother and their families.

08-19237000224

OBITUARY



Pulakanti Shakuntala
W/o Late Pulakanti Pundarikam

Durbeloved mother Pulakanti Shakuntala, Age: 86 W/o Late Pulakanti Pundarikam, left for Heaven last evening at 7pm. Funeral: Today, Monday, 27 May 2019, 11am. Address: Plot No 116, Gunrock Enclave, Phase I, Secunderabad - 500009. In regret: Pulakanti Sai Kumar, Pulakanti Anil Kumar & all Family members

12th ANNIVERSARY



Smt. Dr. MANJARI VEERAMANI DOB: 02-08-1950 DOD: 27-05-2007 W/o Late COL. M.K. VEERAMANI "you are a Symbol of Love and Affection, you left us, but you will remain in our Hearts forever" Inserted by: Bereaved Family Members

14th DEATH ANNIVERSARY

Blessed are those who die in the Lord... for they will rest from their hard work for their good deeds follow them! (Revelation 13:14)



G. ANGEENA ARCHIBALD
W/o: Late G. Premnath Archibald

DOB: 15-04-1947 DOD: 27-05-2006 Your Memories are always in our hearts forever

Inserted by: FAMILY MEMBERS

12th ANNIVERSARY

"Though you left us 12 years ago for heavenly abode, your memories, inspiration remain with us forever"



ANUMAGALLA RAVI KIRAN
DOB: 02-11-1977 DOD: 27-05-2007

Inserted by: Dr. A. RAJENDER, SULOCHANA Dr. PURNIMA, KIRAN & FAMILY MEMBERS

Shree Cement Limited

Pedagariapadu Village, Dechepally Mandal, Guntur District, Andhra Pradesh

PUBLIC NOTICE

Public is hereby informed that Environment Clearance (EC) has been granted by the Ministry of Environment, Forest & Climate Change, Government of India to M/s. Shree Cement Limited for the proposed greenfield integrated Cement Project consisting of clinker (2.4 Million TPA), Cement (4.0 Million TPA), Captive Power Plant (125 MW), Waste Heat Recovery Power Generation (15 MW) and Residential Colony in Pedagariapadu Village, Dechepally Mandal, Guntur District, Andhra Pradesh vide Letter No. 11-101/165/2014-IA.II (II) Dated 20th May 2019. The copy of Environment Clearance letter is available in Andhra Pradesh Pollution Control Board, sub-office of Ministry of Environment, Forest & Climate Change, www.mppcl.co.in and website of Shree Cement Ltd. www.shreecement.in

Mei

KANIZA GA
HYDERABAD

Khammam Sunday with ry touchin Ramagun 46°C, acco Indian A. Departme the Telat Developm Society sh districts. I tempatu of 47°C.

12th ANNIVERSARY



Mrs. RAVI
W/o Late

Sons, Da Grand Child

23rd DE

I will dwell in the



Late, H/o Late

Promote For Mrs. A

సైనిక సంక్షేమ విభిక్తి రూ.5 కోట్ల విరాళం

బీహార్ (విశాఖ తూర్పు): సామాజిక బాధ్యత కింద కర్నూల్ వైశ్యా బ్యాంకు రూ.5 కోట్లను సైనిక సంక్షేమ నిధికి విరాళంగా ఇస్తున్నట్లు ఆ బ్యాంకు సీఈవో శేషాద్రి తెలిపారు. ఈ మొత్తాన్ని చెక్కు రూపంలో అర్మీ జనరల్ రావత్కు అందిస్తున్నట్లు చెప్పారు. మన దేశ సరిహద్దుల్ని సురక్షితంగా ఉంచుతూ, మనం భద్రంగా ప్రశాంతంగా, పరిపూర్ణమైన జీవితాన్ని గడిపేలా కృషి చేస్తున్న సైనికులకు మా బ్యాంకు తరపున విరాళం ఇవ్వటం ఆనందంగా ఉందని శేషాద్రి అన్నారు. సీఎస్ఆర్ విద్య, పారిశుధ్యం, కళ, క్రీడలు ప్రోత్సాహం వంటి రంగాల అభివృద్ధికి కృషి చేస్తున్నామన్నారు.

ఉద్యోగ వయోపరిమితి

45 ఏళ్లకు పెంచాలి

ఏపీ నిరుద్యోగ జేపీసీ వినతి

సాక్షి, అమరావతి: ఏపీఏసీసీ ద్వారా భర్తీచేసే అన్ని ప్రభుత్వ ఉద్యోగాలకు అభ్యర్థుల వయోపరిమితిని 45 ఏళ్లకు పెంచాలని ఏపీ నిరుద్యోగ జేపీసీ ఆదివారం ఒక ప్రకటనలో ప్రభుత్వానికి విజ్ఞప్తిచేసింది. ముఖ్యమంత్రిగా పదవీ ప్రమాణం చేయబోతున్న వైఎస్ జగన్ మోహన్రెడ్డి ఈమేరకు చర్యలు చేపట్టాలని కోరింది. ఫ్రీలిమ్స్ పరీక్షలో గతంలో మాదిరిగా ఒక ఉద్యోగానికి 50 మందిని ఎంపిక చేయాలని అభ్యర్థించింది. ఏపీసీ ఏసీసీ ఒక్కో ఉద్యోగానికి 12 నుండి 15 మంది వరకు మాత్రమే ఎంపిక చేస్తోందని జేపీసీ ప్రతినిధులు ప్రకటనలో పేర్కొన్నారు. ఇకపై అన్ని ఉద్యోగాలకూ ఫ్రీలిమ్స్ పరీక్ష కటాఫ్ను 1:50 కొనసాగించాలని గతంలో చేదుకున్నా ఫలితం లేకపోయిందన్నారు.

శ్రీ సిమెంట్ లిమిటెడ్

పెదగూళ్ల పాడు గ్రామం, రాచేపల్లి మండలం
గుంటూరు జిల్లా, ఆంధ్రప్రదేశ్

బహిరంగ ప్రకటన

M/s శ్రీ సిమెంట్ లిమిటెడ్ వారికి పెదగూళ్లపాడు గ్రామం, రాచేపల్లి మండలం, గుంటూరు జిల్లా, ఆంధ్రప్రదేశ్ లో క్లింకర్ (2.4 మిలియన్ TPA), సిమెంట్ (4.0 మిలియన్ TPA), కాస్టింగ్ పవర్ ప్లాంట్ (25 MW), వేస్ట్ హీట్ రికవరీ పవర్ జనరేషన్ (15 MW) మరియు రెసిడ్యూయల్ కాలని కలిగిన ప్రతిపాదిక గ్రీన్ ఫీల్డ్ ఇంటిగ్రేటెడ్ సిమెంట్ ప్రాజెక్ట్ కోసం లెటర్ నం. "J-11011/165/2014-IA.II(I)" తేది: 20 మే 2019 ప్రకారం పర్యావరణం, అటవీ & వాతావరణ మార్పు మంత్రిత్వ శాఖ, భారత ప్రభుత్వంచే పర్యావరణ క్లియరెన్స్ (EC) మంజూరు చేయబడినదని ప్రజలకు ఇందుమూలంగా తెలియచేయడమైనది. పర్యావరణ క్లియరెన్స్ లేకుండా ఆంధ్రప్రదేశ్ కాలింగ్ నియంత్రణ మండలిలో, పర్యావరణ అటవీ & వాతావరణ మార్పు మంత్రిత్వ శాఖ వెబ్సైట్ www.moef.gov.in మరియు శ్రీ సిమెంట్ లిమిటెడ్ వెబ్సైట్ www.shree-cement.in లో కూడా లభిస్తుంది.

ధాన్యం కొనుగోళ్లలో కోర్ మధుబాబు

మీ



సాక్షి, అమరావతి: ధాన్యం కొనుగోళ్లలో అవకతవ్యున మిల్లర్ల దోపిడీ, కనీస మద్దతు ధర లేమీ వంటి అంశాలు పౌరసరఫరాల శాఖ కమిషనర్తో సోమవారం జ్వర సంఘాల ప్రతినిధులు చర్చలు జరపనున్నారు. ధారీ కొనుగోళ్లలో మిల్లర్లు ఇష్టారాజ్యంగా వ్యవహరించి, పౌరసరఫరాల శాఖాధికారులు పట్టించుకోవడం వేశాలు తదితర అంశాల్లో మిల్లర్లకే పంతపాడుతున్నారని రైతు సంఘాలు అందించడంతోపాటు, కొంతకాలంగా ఆరోపిస్తున్నాయి. దీనిపై రైతు సంఘానికి వచ్చిందని అనిల్ ఇటీవల రౌండ్ టేబుల్ సదస్సు కూడా నిర్వహించినైనా డాక్టర్ మధుబాబును సరఫరాల కమిషనర్ను కలిసి క్షేత్రస్థాయి పర్యటి అవినందించారు.

Maruthi
"నా సాక్షి"
నా
17.7 kmpl
PIONEER AUTO WORLD GUNTUR PVT. LTD.: 77

భారతదేశపు మొదటి

సాక్షి

Attractive Finance Scheme Available

ఆధిక ప్రైవేట్ కొరకు ఆక్సాధునిక 1.35 లీట్రలకి

ఆక్సాధునిక బ్యాంక్ ఇంజనీరింగ్

Accessories and features shown may not be a part. This benefit is available for a limited period only. Taxes as applicable will be levied.

AUTHORIS413. GAUTHAM HERO - PH: 77997 66
NARAS RTC BUS STAND - PH: 96664 0640

PH: 08641-234311, 92464 57567.

GUNTUR (OLD CLUB) 222404. PONNUR: SAI DIVYA MOTORS - 1