

01C

# SHREE RAIPUR CEMENT PLANT

(A UNIT OF SHREE CEMENT LIMITED)

Village : Khaparadih, Tehsil : Simga  
Distt. : Baloda Bazar-Bhatapara (C.G.) Pin : 493 332, Ph. : 07727-203101

CIN No. : L26943RJ1979PLC001935

SRCP/BB/ 2017-18/30

Date: - 30/05/2017

To,  
**The Director**  
Ministry of Environment, Forests and Climate Change,  
West Central Regional Office,  
Ground Floor, Eastern Wing,  
New Secretariat Building-Opposite Old VCA Stadium,  
Civil Lines, Nagpur - 440001, (M.H)

**Sub:- Regarding compliance for the period October, 2016 to March, 2017 to the conditions of Environment Clearance for Expansion of Integrated Cement Plant (Shree Raipur Cement Plant): 2\*1.5 to 2\*2.6 Million TPA Clinker, 2\*2.6 to 2\*3.0 million TPA Cement, 15 to 30 MW Waste Heat Recovery Power Plant, 25 MW Captive Power Plant along with Synthetic Gypsum Unit (65 TPH) and DG Sets [2000 KVA (size 1000/500/250/125)] near Village Khaparadih, Tehsil - Simga in District - Baloda Bazar - Bhatapara (Chhattisgarh) by Shree Raipur Cement Plant (A unit of Shree Cement Limited).**

Ref: - Environment Clearance Letter No. J-11011/235/2008- IA II (I) dated 5th September 2016.

Dear Sir,

In reference to the above subject matter & reference letter, it is submitted herewith the point wise Half Yearly compliance status for the period of October, 2016 to March, 2017 is enclosed herewith for your kind perusal please.

Hope you will find this in order.

Thanking you.

Yours faithfully  
For Shree Raipur Cement Plant.  
(A unit of Shree Cement Ltd.)

**R. K. Vijay**  
AVP (Operations)

Enclosures: Compliance status Report period October-2016 to March-2017.

Cc to:-

- 1) The In charge (Zonal Office), Central Pollution Control Board (CPCB), 3<sup>rd</sup> floor, Sahkar Bhawan, North T.T. Nagar, Bhopal - 462003 (M.P.).
- 2) The Member Secretary, Chhattisgarh Environment Conservation Board, Commercial complex, Chhattisgarh Housing Board Colony, Kabir Nagar, Raipur (Chhattisgarh).

■ RAIPUR OFFICE : House No. 31/248, Civil Lines, Near C.M. House, Raipur-492001, Ph. : 0771-2430007, Fax : 0771-2430007  
■ REGD. OFFICE : Bangur Nagar, Post Box No. 33, Beawar, 305901, Dist. Ajmer (Raj.)  
Phone : 01462-228101-105, Fax : 01462-228117/119, e-mail : shreebwr@shreecementltd.com, Website : www.shreecementltd.in





**Environment Clearance (Expansion of integrated cement plant) compliance Status report**  
**Period from October -2016 to March-2017**

**Name of Project:** Shree Raipur Cement Plant (A unit of Shree Cement Ltd)

**Capacity & Location:** 2\*1.5 to 2\*2.6 Million TPA Clinker, 2\*2.6 to 2\*3.0 million TPA Cement, 15 to 30 MW Waste Heat Recovery Power Plant, 25 MW Captive Power Plant along with Synthetic Gypsum Unit (65 TPH) and DG Sets [2000 KVA (size 1000/500/250/125)] near Village Khapradih, Tehsil-Simga, Distt.- Baloda Bazar - Bhatapara (Chhattisgarh)

**EC letter No.** J-11011/235/2008- IA II (I) dated 5th September 2016.

**A. Specific Conditions:**

No.	Condition	Compliance Reported
I	The project proponent should install 24x7 air monitoring devices to monitor air emissions, as provided by the CPCB and submit report to Ministry and its Regional Office.	<p>Complying with.</p> <p>Opacity meters have been installed in unit - I for the continuous monitoring of dust particulate matter at the stack of Raw &amp; kiln, cement mill, coal mill and clinker cooler. Continuous emission monitoring system (CEMS) at Raw mill &amp; kiln stack has been installed for on line measurement of SO<sub>2</sub> &amp; NO<sub>x</sub>. Data of emission report being submitted to Ministry and its Regional Office regular basis. Data of Stack Monitoring Report are enclosed as <b>Annexure – 1</b>.</p> <p>Unit – II, project work is going on &amp; it will expected to complete by Sep, 2017. 24x7 air monitoring devices will be installed to monitor air emissions in Unit-2 .</p>
II	The Standards issued by the Ministry vide G.S.R. No. 612 (E) dated 25th August, 2014 and subsequent amendment dated 9th May, 2016 and 10 May, 2016 regarding cement plants with respect to particulate matter, SO <sub>2</sub> and NO, shall be followed.	<p>Complying With.</p> <p>Data of AAQMS report enclosed as <b>Annexure – 2</b>.</p>
III	Continuous stack monitoring facilities to monitor gaseous emissions from the process stacks shall be provided. After expansion, limit of PM shall be controlled to meet prescribed standards by installing adequate air pollution control viz Electrostatic precipitators to clinker cooler, bag house to raw mill/kiln	<p>Complying with.</p> <p>Opacity meters have been installed in unit - I for the continuous monitoring of dust particulate matter at the stack of kiln, cement mill, coal mill and clinker cooler. Continuous emission monitoring system (CEMS) at Raw mill &amp; kiln stack has been installed for on line measurement of SO<sub>2</sub> &amp; NO<sub>x</sub>. Data of Stack Monitoring Report are enclosed as <b>Annexure – 1</b>.</p>

*As*



and bag filters to coal mill and cement mill. Low NOx burners shall be provided to control NOx emissions. Regular calibration of the instruments must be ensured.

Regular calibration of the instruments is being done regular basis.

Unit – II, project work is going on & it will expected to complete by Sep, 2017. Continuous stack monitoring facilities to monitor gaseous emissions from the process stacks will be provided

IV Efforts shall be made to achieve power consumption of 70 units/tonne for Portland Pozzolona Cement (PPC) and 95 units/tonne for Ordinary Portland Cement (OPC) production and thermal energy consumption of 670 Kcal/Kg of clinker.

Complying With.

The National Ambient Air Quality Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16<sup>th</sup> November, 2009 shall be followed.

4 numbers of AAQMS have been installed at the boundary of plant and mine for the measurement of PM2.5, PM10, CO, SO2 and NOx level.

Complying with. Data of AAQMS report enclosed as **Annexure – 2.**

VI AAQ Modelling shall be carried out based on the specific mitigative measures taken in the existing project and proposed for the expansion project to keep the emissions well below prescribed standards.

Complying With.

VII Secondary fugitive emissions shall be controlled and shall be within the prescribed limits and regularly monitored. Guidelines/Code of Practice issued by the CPCB in this regard shall be followed.

Following measures have been taken for control of fugitive emission:

S. No.	Source	Pollution Control Measures
1.	Coal Unloading	Covered Unloading point
2.	Limestone Unloading	Covered unloading and water spray at crusher
3.	Material Transfer Point	Cover shed & Dust Collector
4.	Fly Ash Storage	Silo
5.	Gypsum Storage	Cover shed
6.	Petcoke / Coal Storage	Cover shed
7.	Limestone Storage	Cover shed
8.	Clinker Storage	Silo
9.	Conveyor Belt	Covered
10.	Clinker Cooler	ESP

AS



11.	Raw Mill & Kiln	RABH
12.	Coal Mill	Bag House
13.	Cement Mill	Bag House
14.	All Silo	Dust Collector for silo venting

For Unit – 1, 72 numbers of bag filter has been installed and unit – 2, 35 numbers of bag filters will be installed to control fugitive emission.

Agreed.

VIII A statement on carbon budgeting including the quantum of equivalent CO<sub>2</sub> being emitted by the existing plant operations, the amount of carbon sequestered annually by the existing green belt and the proposed green belt and the quantum of equivalent CO<sub>2</sub> that will be emitted due to the proposed expansion shall be prepared by the project proponent and submitted to the Ministry and the Regional Office of the Ministry. This shall be prepared every year by the project proponent. The first such budget shall be prepared within a period of 6 months and subsequently it should be prepared every year.

IX For the employees working in high temperature zones falling in the plant operation areas, the total shift duration would be 4 hrs or less per day where the temperature is more than 50°C. Moreover, the jobs of these employees will be alternated in such a way that no employee is subjected to working in high temperature area for more than 1 hr continuously. Such employees would be invariably provided with proper protective equipments, garments and gears such as head gear, clothing, gloves, eye protection etc. There should also be an arrangement for sufficient drinking water at site to prevent dehydration etc.

Complying with.

All employees working in high temperature area are provided with proper personal protective equipment's like Safety helmets, goggles, Safety Shoes, Gloves etc. and also there is proper arrangement for drinking water at the site to prevent dehydration.

X Arsenic and Mercury shall be monitored in emissions, ambient air and water.

Complying with.

AB



XI The coal yard shall be lined and covered. Complying With. All raw materials, product stored above ground level with pucca platform in closed roof covered shed fitted with wind breakers / shields or silos.

S.N	Material	Storage facility
1	Cement & Clinker	Silos
2	Fly Ash	Silos
3	Gypsum	Wind breaking wall & Covered shed
4	Coal & pet coke	Covered shed

XII The project proponent shall prepare a report on impact of project on surrounding reserve forests within six months and will get it approved from the State Forest Department. A copy of the same should be submitted to the Ministry and its Regional Office. Shall be complied.

XIII The project proponent shall take all precautionary measures for conservation and protection of wild fauna found in the study area. A Wildlife Conservation Plan specific to this project site shall be prepared in consultation with the State Forest and Wildlife Department. A copy of the Conservation plan shall be submitted to the Ministry and its Regional Office. Complying With.  
There is no schedule-1 fauna found in nearby the premises area.

XIV The project proponent will also provide the latest status of the environmental compliances in respect of its existing plant. We are regularly submitting half yearly Compliance reports. An earlier Half yearly Compliance status report period from – April-16 to September-16, has been sent thru Mail as well as courier on dated 24.10.2016 & dated 25.10.2016 respectively. Courier receipt is enclosed as **Annexure - 3.**

As



XV	Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of conveyors/rail mode of transport wherever feasible. The company shall have separate truck parking area. Vehicular emissions shall be regularly monitored.	Transportation of fly ash is being done in closed trucks / bulkers.
XVI	Efforts shall be made to further reduce water consumption by using air cooled condensers. All the treated wastewater shall be recycled and reused in the process and/or for dust suppression and green belt development and other plant related activities etc. No process wastewater shall be discharged outside the factory premises and 'zero' discharge shall be adopted.	<p>Complying With.</p> <p>We have already installed to further reduce water consumption by using air cooled condensers.</p> <p>Two STP capacity 40 KL/day each, has been installed &amp; being operated. Treated effluent being used in green belt development. After treatment, RO reject water being reused for ash quenching and cement mill spray. As we are maintained zero' discharge condition in the plant.</p>
XVII	Efforts shall be made to make use of rain water harvested. If needed, capacity of the reservoir shall be enhanced to meet the maximum water requirement. Only balance water requirement shall be met from other sources.	<p>1. Earthen pit of 1.0 Lakh KL capacity has been developed in plant area for storage of rain water.</p> <p>2. One more earthen pit of 1.0 Lakh KL capacity being developed in plant area for storage of rain water.</p>
XVIII	Regular monitoring of influent and effluent surface, sub-surface and ground water shall be ensured and treated wastewater shall meet the norms prescribed by the State Pollution Control Board or described under the Environment (Protection) Act, 1986.	Regular monitoring of influent and effluent surface, sub-surface and ground water being ensured and treated wastewater meets the norms prescribed by the State Pollution Control Board or described under the Environment (Protection) Act, 1986.
XIX	All the bag filter dust, raw mill dust, coal dust, clinker dust and cement dust from pollution control devices shall be recycled and reused in the process and used for cement manufacturing. Spent oil and batteries shall be sold to authorized recyclers / re-processors only.	<p>Complying with.</p> <p>All dust from unit - I bag filter, raw mill, coal mill, clinker and cement mill is collected and are used in cement manufacturing.</p> <p>Used oil/Spent oil and batteries are sold to authorized recyclers / re-processors only.</p>
XX	The kiln shall be provided with a flexible fuel feeding system to enable use of hazardous wastes and other wastes including biomass, etc.	<p>Complying with.</p> <p>The Kiln is provided with flexible fuel feeding system to use Acid-Tar sludge and Tyre chips like hazardous waste for whose permission application has been filled by us tgo</p>

*(Signature)*



		the CECB Raipur for obtaining Co- Processing authorization.
XXI	The proponent shall examine and prepare a plan for utilization of high calorific wastes such as chemical wastes, distillation residues, refuse derived fuels, etc as alternate fuels based on availability and composition. For this, the proponent shall identify suitable industries with such wastes and enter into an MOU for long-term utilization of such wastes as per the Environment (Protection) Rules, 1986 and with necessary approvals.	<p>Complying with.</p> <p>We are searching for nearby industries which have refused of high calorific wastes such as chemical wastes, distillation residues, driven fuels. So, to utilize them in our process and we have also applied to the CECB Raipur for utilization for co-processing Acid-Tar sludge &amp; tyre chips like high calorific waste in process.</p>
XXII	Efforts shall be made to use the high calorific hazardous waste in the cement kiln and necessary provision shall be made accordingly. The PP shall enter into an MOU with units with potential for generating hazardous waste and in accordance with Hazardous Waste Regulations and prior approval of the CECB.	<p>Proposed to use Acid Tar sludge &amp; tyre chips the high calorific hazardous waste available in the area as alternate raw material and fuel after getting state board authorization. Applications for obtaining co-processing authorization have been submitted to the State board. Presently It is under process.</p>
XXIII	Green belt over 33% of the total project area shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area and along road sides etc. by planting native and broad leaved species in consultation with local DFO, local community and as per the CPCB guidelines.	<p>Presently 55,158 saplings have been planted in 31.7 ha and target of plantation of 78825 saplings in 52.55 ha (33% area) would be achieved till year 2018-19.</p> <p>We have planted about 2, 00,000 numbers of hedging within plant area in 1.92 hac area.</p> <p>We have also planted 2000 trees near School of Bharuwadih, Semradih, Khapradih, Chandi, Karahi &amp; Parkidih villages and 13000 trees planted about 10 KM of both side of road plantation from Bharuwadih to chandi village under Hariyar Chhattisgarh project.</p>
XXIV	The project proponent shall provide for solar light system for all common areas, street lights, villages, parking around project area and maintain the same regularly.	Complying with.
XXV	The project proponent shall provide for LED lights in their offices and residential areas.	Complying with. LED lights has been provided in offices in the plant.



XXVI	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Cement plants shall be implemented.	All actions have been taken to comply with CREP recommendation.
------	---	---

S. No.	CREP Condition	Action Plan
1.	The new cement kiln to be accorded NOC/ Environmental Clearance w.e.f 1/4/03 will meet the limit of 50 mg/Nm <sup>3</sup> for particulate matter emission.	All Pollution Control Equipments are meeting particulate matter emission level as per norms given in Environment clearance.
2.	The cement industries will control fugitive emission from all raw material and product storage and transfer points by December 2003. However, the National Task Force will decide the feasibility for the control of fugitive emission from limestone and coal storage areas. The NTF shall submit its recommendations within months.	Following measures have been taken: Silos for Clinker and Fly Ash and covered shed for Gypsum.  Water spray arrangement at raw materials like limestone and coal and pet coke.  Bag filters at all material transfer points.  Covered conveyor belts.  Cemented roads and vacuum sweeping.
3.	Industries will submit the target date to enhance the utilization waste material by April 2003.	Use of fly ash for making of PPC.
4.	NCBM will carry out a study on hazardous waste utilization in cement kiln by December 2003.	Hazardous waste will be utilized after CPCB permission and SPCB authorization.
5.	Cement industries will carry out feasible study and submit target dates to CPCB co-generation of power by July-2003.	waste heat recovery system has been installed

XXVII	At least 2.5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment based on Public Hearing issues, locals need and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office. Implementation of such program shall be ensured by constituting a Committee comprising of the proponent, representatives of village Panchayat and District Administration.	Complying with.  All commitments made during the public hearing have been incorporated in CSR activities. All commitments made during the public hearing have been incorporated in CSR activities. An amount 101 lakh rupees has been incurred on socio-economic activities from October 2016 to March 2017. Details enclose for CSR expenses as given in <b>Annexure- 4</b> .
-------	--	--

*AB*



	Action taken report in this regard shall be submitted to the Ministry's Regional Office.	
XXVII I	In addition to the above provision of ESC, the proponent shall prepare a detailed ' CSR Plan for the next 5 years including annual physical and financial targets for the existing-cum-expansion project, which includes village-wise, sector-wise (Health, Education, Sanitation, Skill Development and infrastructure etc) activities in consultation with the local communities and administration. The CSR Plan will include the amount of 2% retain annual profits as provided for in Clause 135 of the Companies Act, 2013 which provides for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head shall be created and the annual capital and revenue expenditure on various activities of the Plan shall be submitted as part of the Compliance Report to RO. The details of the CSR Plan shall also be uploaded on the company website and shall also be provided in the Annual Report of the company.	CSR dept. doing socio-economic development activities in the surrounding villages like community development programs, educational programs, drinking water supply and health care, Sanitation, Skill Development and infrastructure etc. An amount 101 lakh rupees has been incurred on socio-economic activities from October 2016 to March 2017. Details enclose for CSR expenses as given in <b>Annexure- 4.</b>
XXIX	A Risk Assessment Study and Disaster Preparedness and Management Plan along with the mitigation measures shall be prepared with a focus of Disaster Prevention and a copy submitted to the Ministry's Regional Office, SPCB and CPCD within 3 months of issue of environment clearance letter.	Submitted along with EIA / EMP report.
XXX	To educate the workers, all the work places where dust may cause a hazard shall be clearly indicated as a dust exposure area through the use of display signs which identifies the hazard and the associated health effects.	All the safety norms stipulated by the Director General, Mine & Safety (DGMS) have been implemented.

At



XXXI	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Housing, fuel, toilets with soak pits & septic tank, safe drinking water, medical healthcare etc have been provided to labors.
------	---	--

**B. General Conditions:**

i.	The project authorities must strictly adhere to the stipulations made by the Chhattisgarh Environment Conservation Board and the State Government.	Complying with.
ii.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC).	Agreed.  No further expansion in the plant will be done without prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC).
iii.	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, PM2.5, SO2 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Nagpur and the SPCB/CPCB once in six months.	4 numbers of AAQMS have been installed for the measurement of PM2.5, PM10, CO, SO2 and NOx level.  Data on ambient air quality and stack emissions being submitted to MoEF & CC Regional Office and SPCB / CPCB once in six months and monitored data is enclosed as <b>Annexure 2</b> .
i.	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	Two STP capacity 40 KI/day each, has been installed & being operated. Treated effluent being used in green belt development. No residential colony has been established at the site yet. Treated effluent analysis data sheet is enclosed as <b>Annexure 5</b> .  RO reject water being reused for ash quenching and cement mill spray
v.	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA	Turbines, compressors and DG set have been installed in closed building.  Plantation has been done all around the plant boundary.  Proper maintenance and lubrication is being done of

As



	Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).	all machines to maintain the noise level. Noise monitoring report being submitted to board regularly. Noise Monitored data is enclosed as <b>Annexure 6</b> .
vi.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Occupational health programmers is going on and records being maintained by the OHC team.
vii.	The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	<ol style="list-style-type: none"> <li>1. Earthen pit of 1.0 Lakh KL capacity has been developed in plant area for storage of rain water.</li> <li>2. One more earthen pit of 1.0 Lakh KL capacity being developed in plant area for storage of rain water.</li> </ol>
viii.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EJA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programs, educational programs, drinking water supply and health care etc.	<p>Complying with.</p> <p>Environmental protection measures and safeguards recommended in the EJA/EMP report have been implemented.</p> <p>CSR dept. doing socio-economic development activities in the surrounding villages like community development programs, educational programs, drinking water supply and health care, Sanitation, Skill Development and infrastructure etc. An amount 101 lakh rupees has been incurred on socio-economic activities from October 2016 to March 2017. Details enclose for CSR expenses as given in <b>Annexure- 4</b>.</p>
ix.	Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change (MoEFCC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Nagpur. The funds so provided shall not be diverted for any other purpose.	Adequate fund are available for the implementation of the conditions stipulated by the Ministry of Environment and Forests as well as the State Government.
x.	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were	Copy of environment clearance letter has been sent on 16.9.2016 to the followings:- <ol style="list-style-type: none"> <li>1. Gram Panchayat, Khapradih.</li> <li>2. Jila Panchayat, Balodabazar</li> <li>3. Nagar Palika, Balodabazar</li> </ol>

AS



	received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	EC letter has been put on our web site:- <a href="http://www.shreecement.in">www.shreecement.in</a>
xi	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEFCC at Nagpur. The respective Zonal Office of CPCD and the SPCB. The criteria pollutant levels namely; PM 10, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Complying with. Last six monthly MoEF compliance status report for the period of Apr-16 to Sep-16 has been uploaded on company website. We are regularly submitting half yearly Compliance reports. An earlier Half yearly Compliance status report period from - April-16 to September-16, has been sent thru Mail as well as courier on dated 24.10.2016 & dated 25.10.2016 respectively. Courier receipt is enclosed as <b>Annexure - 3</b> .  The criteria pollutant levels namely; PM 10, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or, indicated for the project are continuously displayed on the display board which is located at the main gate of the plant.
xii.	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEFCC, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Nagpur / CPCB / SPCB shall monitor the stipulated conditions.	We are regularly submitting half yearly Compliance reports. An earlier Half yearly Compliance status report period from - April-16 to September-16, has been sent thru Mail as well as courier on dated 24.10.2016 & dated 25.10.2016 respectively. Courier receipt is enclosed as <b>Annexure - 3</b> .
xiii.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MOEFCC at Nagpur by e-mail.	Environmental statement for year-2015-16 has been already submitted to the Chhattisgarh Environment Conservation Board (CECB) Raipur on 14.09.16. EC compliance has been put on our web site: <a href="http://www.shreecement.in">www.shreecement.in</a>
xiv.	The Project Proponent shall inform the public that the project has been accorded	Advertised in two local news papers widely circulated in the region namely, Hari Bhumi and Navbharat on 11/9/2016. Letter of the same is

CA3




environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment, Forests and Climate Change (MoEFCC) at <http://envfor.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Nagpur.

already sent to the Regional Office MoEF & CC Nagpur. Copy of the letter with news Papers cutting enclosed as **Annexure-7**

Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.

1. Date of start of project work is 28/08/2013. Financial closure shall be informed to the Regional Office and Ministry.
2. 1<sup>st</sup> clinker unit (Pyro processing) enhanced capacity from 1.5 Million TPA to 2.6 Million TPA has been started on 04/02/2017.
3. 1<sup>st</sup> clinker grinding unit enhanced capacity from 2.6 Million TPA to 3.0 Million TPA has been started on 04/02/2017.
4. Erection work of 2<sup>nd</sup> clinker unit (Pyro processing) has been started & it will expected to complete by Sep-17
5. Waste heat power plant commissioning & generation on 23.07.2015.
6. Captive Power Plant (CPP) enhanced capacity from 15 MW to 25 MW has been started on 12/02/2017.
7. Two DG sets capacity 250 KVA each has been installed.
8. Remaining unit gypsum plant, 2<sup>nd</sup> clinker grinding unit & DG sets will construct & install later on respectively.

For Shree Raipur Cement Plant  
(A unit of Shree Cement Ltd.)

  
R K Vijay  
AVP (Operations)

Enclosed: - As above



## Annexure - 1

Shree Raipur Cement Plant  
(A Unit of Shree Cement Ltd)Stack Emission Report (PM All values in mg/Nm<sup>3</sup>)

S. No.	Month	Cement Mill	Raw Mill & Kiln Stack	Coal Mill Stack	Clinker Cooler Stack	Captive Power plant Stack
1	Oct-16	13.1	11.7	13.0	9.3	14.8
2	Nov-16	17.3	12.5	16.3	11.6	14.3
3	Dec-16	26.8	9.0	10.5	14.0	17.5
4	Jan-17	18.9	17.0	13.7	14.2	27.3
5	Feb-17	23.9	18.7	16.3	18.4	32.5
6	Mar-17	20.3	16.5	11.8	18.3	37.3

AS



**Shree Raipur Cement Plant**  
(A Unit of Shree Cement Ltd)

Annexure - 2

AMBIENT AIR QUALITY MONITORING STATION DATA									
Location	Parameters	Unit	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	
AAQMS 1 (Mines boundary towards village Bharuwadih)	PM 10	$\mu\text{g}/\text{m}^3$	52.2	54.5	57.7	62.8	49.0	29.6	
	PM 2.5		24.6	36.2	27.7	31.1	17.7	10.1	
	SO <sub>2</sub>		15.1	15.8	17.1	3.7	2.2	3.5	
	NO <sub>2</sub>		10.2	7.5	7.3	6.7	5.9	3.5	
AAQMS 2 (Mines boundary towards village Semrathi)	PM 10		86.5	65.4	78.7	52.5	50.0	41.7	
	PM 2.5		30.0	30.1	35.3	22.5	13.8	11.7	
	SO <sub>2</sub>		4.7	7.3	8.9	6.5	9.0	8.6	
	NO <sub>2</sub>		10.7	25.0	30.8	29.5	22.4	14.3	
AAQMS 3 (Plant Boundary towards South Diction)	PM 10		48.9	22.5	72.4	50.6	39.5	36.7	
	PM 2.5		28.9	4.0	48.9	26.2	21.0	18.9	
	SO <sub>2</sub>		6.9	6.3	10.3	13.2	13.9	21.0	
	NO <sub>2</sub>		12.6	6.8	12.5	2.7	2.6	5.0	
AAQMS 4 (Plant Boundary towards village Khapradih)	PM 10		51.8	55.8	63.6	30.3	37.4	24.6	
	PM 2.5		28.5	35.2	34.4	24.7	17.0	13.6	
	SO <sub>2</sub>		9.1	14.1	11.9	5.0	9.8	7.1	
	NO <sub>2</sub>		6.2	15.1	23.1	26.1	19.6	9.2	

AS



Annexure-3

**From:** Avneesh kumar chauhan [mailto:chauhanak@shreecementltd.com]  
**Sent:** 24 October 2016 13:41  
**To:** 'moefregionalofficenagpur@gmail.com'; 'cpcb.bhopal@gmail.com'; 'hocecb@gmail.com'  
**Cc:** 'R Bhargava'; 'vijayrk@shreecementltd.com'; 'Anil Jain'  
**Subject:** Six Monthly MoEF&CC Compliance Report (period -April 16- September 16)- by Shree Raipur Cement Plant - Balodabaaar- Bhatapara (Chhattisgarh)

Dear Sirs,

Please find enclosed herewith MoEF& CC Six Monthly Compliance Report period from April-2016 to September-2016. As per given Environment Clearance to us vide letter No.- F. No. J-11011/235/2008-IA II (I) dated 07.03.2011

Hard copy of this MoEF& CC Compliance report being send to all thru courier.

Hope your will find this is in order.

Thanks & Regards

Avneesh Kumar Chauhan  
Manager- Environment Dept.  
Shree Raipur Cement Plant  
( A unit of Shree Cement Ltd.)  
Village- khaparadih, Tehsil -- Simga  
Dist.- Baloda Bazar- Bhatapara ( C.G.) Pin- 493332  
Mobile no - 7024260999



SP BHATAPPA S.O. 493112  
EC029679292 IN  
Counter No: 107-Coder/EEB  
To: THE DIRECTOR, MINISTRY OF ENVIRONMENT,  
NAGPUR, PIN-440001  
From: ANEESH KUMAR, BHATAPPA  
Wt: 166 grams.  
Amt: Rs. 46.00 25/10/2016 11:48  
Track on [www.indiapost.gov.in](http://www.indiapost.gov.in)  
[EC029679292 IN] 46/-

SP BHATAPPA S.O. 493112  
EC029679301 IN  
Counter No: 107-Coder/EEB  
To: Z O CPCR,  
NAGPUR, PIN-440001  
From: ANEESH KUMAR, BHATAPPA  
Wt: 158 grams.  
Amt: Rs. 46.00 25/10/2016 11:49  
Track on [www.indiapost.gov.in](http://www.indiapost.gov.in)  
[EC029679301 IN] 46/-





# SHREE CEMENT LIMITED

## (UNIT-SHREE RAIPUR CEMENT PLANT)

Village: Khaparadih, Tehsil: Singa  
Distt. Baloda Bazar (C.G) Pin: 493332, Ph.: 07727-203101  
CIN NO.: L26943RJ1979PLC001935



SRCP/BB/ 2016-17/82

Date: - 24/10/2016

To,  
The Director  
Regional office, (WCZ),  
Ministry of Environment & Forest,  
Ground Floor, East Wing, New Secretariate Building  
Civil Lines, Nagpur - 440001, (M.H)

Sub:- Regarding compliance for the period April, 2016 to September, 2016 to the conditions of Environment Clearance for Green Field Integrated Cement Plant (Shree Raipur Cement Plant): Clinker 3.0 MTPA, Cement- 5.2 MTPA, Captive Power Plant- 2\*25 MW and Limestone Mining- 4.8 MTPA, (ML area 531.126 ha.) located near village Khaparadih, Semaradih & Bharuwadih, Tehsil - Singa & Balodabazar in District - Baloda Bazar - Bhatapara (Chhattisgarh) by Shree Raipur Cement Plant (A unit of Shree Cement Limited).

Ref: - Environment Clearance Letter No. J-11011/235/2008- IA II (I) dated 7th March 2011, 1st June, 2011 & 4th Feb, 2015.


Dear Sir,

In reference to the above subject matter & reference letter, it is submitted herewith the point wise Half Yearly compliance status for the period of April, 2016 to September, 2016 is enclosed herewith for your kind perusal please.

Hope you will find this in order.

Thanking you.

Yours faithfully  
For Shree Raipur Cement Plant.  
(A unit of Shree Cement Ltd.)

  
R. K. Vijay  
AVP (Operations)



Enclosures: Compliance status Report period April-2016 to September-2016.

Cc to:-

- 1) The In charge (Zonal Office), Central Pollution Control Board (CPCB), 3rd floor, Sahkar Bhawan, North T.T. Nagar, Bhopal - 462003 (M.P.).
- 2) The Member Secretary, Chhattisgarh Environment Conservation Board, Commercial complex, Chhattisgarh Housing Board Colony, Kabir Nagar, Raipur (Chhattisgarh).

RAIPUR OFFICE : House No. 31/248, Civil Lines, Near C.M. House, Raipur-492001, Ph. : 0771-2430007, Fax : 0771-2430007  
REGD. OFFICE : Bangur Nagar, Post Box No. 33, Beawar, 305901, Dist. Ajmer (Raj.)  
Phone : 01462-228101-105, Fax : 01462-228117/119, e-mail : shreebwr@shreecementltd.com, Website : www.shreecementltd.com



**Shree Raipur Cement Plant**  
(A unit of Shree Cement Limited), Khapradih, Distt- Balodabazar  
**CSR Work Done (October 2016 to March 2017)**

S No	Particulars of CSR activity undertaken	Amount in Rupees
<b>A</b>	<b><u>Eradicating hunger, poverty and malnutrition, promoting preventive health care and sanitation and making available safe drinking water</u></b>	
	Arranging health camps and provisions of medicines and other facilities including financial assistance for arranging health camps (SCL)	24,665
	Expenses of AIDS day Celebration including awareness of disease and their preventive measures.	6,780
	Arranging supply of drinking water through installation of water tanks and water huts and construction/ repairing of existing water systems	1,74,961
<b>B</b>	<b><u>Promoting education, including special education and employment enhancing vocational skills specially among children, women, elderly and the differently abled</u></b>	
	Providing financial support to schools to promote various activities towards development of children and improve quality of education	650
	Providing support to Anganwadi centres /schools for building / upgrading infrastructure (by undertaking or supporting construction work or equipping them with furniture, fans, maps, charts, fixtures, books, note books, musical instruments, uniforms etc) for promoting education	10,000
<b>C</b>	<b><u>Promoting gender equality, empowering women, setting up homes and hostels for women and orphans; setting up old age homes, day care centers and such other facilities for senior citizens and measures for reducing inequalities faced by socially and economically backward groups</u></b>	
	Construction of Vrudhashram (old age home) at Balodabazar	3,74,893
<b>D</b>	<b><u>Ensuring environmental sustainability, ecological balance, protection of flora and fauna, animal welfare, agroforestry, conservation of natural resources and maintaining quality of soil, air and water</u></b>	
	Expenses on purchase of saplings/ plants for distribution to villagers/ nearby localities / schools for plantation with tree guards and labour expenses.	25,46,882
	Support for development / construction of living space for livestock (Goshala expenses)	1,00,259
<b>E</b>	<b><u>Protection of national heritage, art and culture including restoration of buildings and sites of historical importance and works of art; setting up public libraries; promotion and development of traditional arts and handicrafts;</u></b>	
	Expenses on promotion of Indian Tradition and Culture through Jhankis on the various occasions (expenses incurred on Sobha yatra & Laddi Show, Prasad, and lighting and decoration)	9,445
	Other Expenses on promotion of Art and Culture by associating with various agencies by sponsorship, support, contribution, etc.	2,77,100
<b>F</b>	<b><u>Training to promote rural sports, nationally recognized sports, Paralympic sports and Olympic sports</u></b>	
	Expenses on Shree Khel Mahotsav 2017 (Winter Olympiad)	3,41,302
<b>G</b>	<b><u>Rural development projects</u></b>	
	Construction of community halls and centers at nearby villages	5,44,871
	Construction and leveling of CC roads of nearby villages	15,24,912
	Construction of retaining boundary of pond ladder, pond cleaning	11,33,937
	Construction of various structures like boundary walls, school boundary, toilets, stay rooms, street lights etc. in nearby villages	5,82,594
	Other Maintenance, Renovation and painting work at various roads, speed breakers, structures, pump and projects	2,61,304
	Issuance of Steel & Cement under CSR	4,39,023
<b>H</b>	<b><u>Overheads related to CSR activities (maximum upto 5% of total CSR expenses)</u></b>	
	Salaries paid to employees engaged in CSR work	17,50,945
	Taxes related to CSR activities	36,208
	Other CSR programme coordination expenses including expenses on brochures, painting, leaflets, CSR documentary film, display boards inauguration function etc	25,037
	<b>Total Amount (Rs.)</b>	<b>1,01,65,768</b>

*AS*



## STP treated water analysis report

Parameter	Oct-16		Nov-16		Dec-16		Jan-17		Feb-17		Mar-17	
	STP -1	STP -2	STP -1	STP -2	STP -1	STP -2	STP -1	STP -2	STP -1	STP -2	STP -1	STP -2
pH	8.43	8.38	6.65	7.62	6.88	7.64	6.82	7.46	7.23	6.71	7.3	7.68
BOD (3 day at 27 deg), mg/l	3	4	6	3	3	4	4	6	3	4	less then 2	4.5
COD, mg/l	32	56	72	56	40	56	40	64	31.4	24	7.84	43.1
Total Suspended Solids, mg/l	4	4	6	6	4	10	4	20	26	8	less then 2	6
Oil & Grease, mg/l	less then 0.2	less then 0.2	less then 0.2	less then 0.2	less then 0.2	less then 0.2	less then 0.2	less then 0.2	less then 0.2	less then 0.2	less then 0.2	less then 0.2

43



Annexure-6

**Shree Raipur Cement Plant**  
(A unit of Shree Cement Ltd)

**Noise Monitoring Report**

Sr. No	Location	Oct-16		Nov-16		Dec-16		Jan-17		Feb-17		Mar-17	
		Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
1	AAQMS-1 (Near Bharuadih) (SE)	47.8	41.6	45.8	39.6	45.9	37.4	44.3	38.16	50.9	39.2	47.7	41.84
2	AAQMS-2 (Near Semaradih) (NE)	46.3	42.7	43.8	40.7	44.6	36.8	47.66	40.94	50.8	40.7	49.64	45.36
3	AAQMS-3 (Near RMS) (SE)	48.8	41.7	45.0	39.7	44.0	38.4	45.62	38.26	51.3	41.1	51.04	45.42
4	AAQMS-4 (Near Kharpradih) (SW)	47.6	41.7	45.6	39.7	47.2	41.8	50.2	42.38	51.3	40.5	53.06	47.22
5	Near Store office	63.3	54.2	61.3	52.2	57.0	49.1	65.26	55.5	65.9	55.9	67.74	61.5
6	Near Raw Mill	73.3	63.2	71.3	61.2	62.3	61.9	66.22	58.04	69.5	62.8	78.92	71.88
7	Kiln area (Infront of Mechanical Office)	74.8	65.1	72.8	63.1	69.8	61.2	68.08	61.54	67.8	59.0	77.98	70.42
8	Near Cooler Stack	71.8	63.1	69.8	61.0	68.1	61.4	70.02	63.96	68.8	60.9	75.7	68.4
9	Near Fly Ash Silo	72.0	64.1	70.0	62.1	70.7	65.3	71	63.92	65.9	56.6	73.16	67.08
10	Near Truck Loading area (Packing plant)	74.3	63.4	72.5	61.6	70.5	64.2	70.54	64.36	68.9	61.4	65.2	59.04
11	Near Turbine (GPP Plant)	76.3	68.4	74.3	65.6	69.8	61.9	67.4	61.26	67.5	60.2	70.38	65.64
12	Near Lime stone Stack	72.7	63.3	70.1	61.1	78.5	65.6	50.66	42.38	65.9	55.7	63.62	56.52
13	In front of CCR Building	62.9	54.8	60.9	52.6	60.6	54.0	70.76	64.24	52.4	45.0	50.24	46.16
14	Near Main Gate	64.3	54.0	62.3	51.8	67.7	60.1	63.92	54.94	67.2	54.2	69.5	63.6
15	Near Truck Parking (Logistic Office)	72.4	63.1	68.6	61.1	72.3	64.6	72.38	64.62	64.4	54.7	57.54	51.32
16	Near Mine Work shop	63.7	55.0	61.7	52.3	53.7	43.3	57.5	50.5	61.6	52.9	55.78	48.44
17	Near Crusher Area	62.8	53.8	60.8	51.8	78.0	69.2	63.84	52.62	71.1	61.8	60.76	53.42
18	Near Open Cast mines	72.7	65.8	71.1	63.6	57.9	51.3	63.7	51.02	66.5	57.0	55.26	50.22





# SHREE CEMENT LIMITED

## (UNIT-SHREE RAIPUR CEMENT PLANT)

Village: Khaparadih, Tehsil: Simga  
Distt. Baloda Bazar (C.G) Pin: 493332, Ph.:07727-203101  
CIN NO.:L26943RJ1979PLC001935

SRCP /BB//2016-17/69



Annexure-7

Date: 21.09.16

To,  
The Director  
Regional office, (WCZ),  
Ministry of Environment, Forest and Climate Change  
Ground Floor, East Wing, New Secretariat Building  
Civil Lines, Nagpur - 440001, (M.H)

Sub: - Regarding compliance conditions of Environment Clearance for expansion of Integrated Cement Plant of Clinker (2 x 1.5 to 2 x 2.6 Million TPA), Cement (2 x 2.6 to 2 x 3.0 million TPA), Waste Heat Recovery Power Plant (15 to 30 MW), Captive Power Plant (25 MW) along with Synthetic Gypsum Unit (65 TPH) and DG Sets [2000 KVA (size 1000/500/250/125)] by Shree Raipur Cement Plant (A Unit of Shree Cement Ltd), located near Village Khaparadih, Tehsil-Simga, Distt.- Baloda Bazar-Bhatapara (Chhattisgarh)

Ref: 1. EC Letter No- F. No. J-11011/235/2008- IA II (I) dated 05.09.16.

Dear Sir,

Kindly refer to the above subject matter and referred EC letter. As per the condition of EC letter, the compliance status of various conditions are given as below:-

Condition No.	EC Condition	Compliance
General condition no. X	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent	Copy of environment clearance letter has been sent on 16.09.2016 to the followings:- 1. Gram Panchayat, Khaparadih. 2. Zila Panchayat, Baloda Bazar. 3. Nagar Palika, Baloda Bazar.  EC letter has been put on our web site:- <a href="http://www.shreecement.in">www.shreecement.in</a>
General condition no. XIV	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment, Forests and Climate Change (MoEFCC) at <a href="http://envfor.nic.in">http://envfor.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local	We have informed the public by giving advertisement in two local newspapers widely circulated in the region namely, Navbharat and Haribhumi on 11/09/2016 (copy enclosed).




newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Nagpur.

This is for kind information, please.

Thanking you,

For Shree Raipur Cement Plant  
(A unit of Shree Cement Ltd.)

  
R K Vijay  
AVP (Operations)

Enclosed: As above

Cc to:-

- 1) The Additional Principal Chief Conservator of Forest (C) of Ministry of Environment, Forest and Climate Change Regional Office (WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Line, Nagpur-440001.
- 2) The In charge (Zonal Office), Central Pollution Control Board (CPCB), 3rd floor, Sahkar Bhawan, North T.I. Nagar, Bhopal - 462003 (M.P.).
- 3) The Chairman, Chhattisgarh Environment Conservation Board, Paryavas Bhavan, North Block, Sector-19 Naya Raipur (C.G.)
- 4) Regional Officer, Chhattisgarh Environment Conservation Board, Commercial Complex, Chhattisgarh Housing Board Colony Kabir Nagar, Raipur (C.G.) - 492099



# रायपुर जिला

रायपुर, हरिद्वार 11 सितंबर 2016

## फास्ट फारवर्ड

आधुनिक कृषि कथा का आयोजन 11 को

रायपुर, 11 सितंबर: रायपुर में 11 सितंबर को आधुनिक कृषि कथा का आयोजन किया जाएगा। कार्यक्रम को आयोजित करने के लिए रायपुर में 11 सितंबर को आयोजित किया जाएगा। कार्यक्रम को आयोजित करने के लिए रायपुर में 11 सितंबर को आयोजित किया जाएगा।

## कुंभ नगरी

रायपुर, 11 सितंबर: रायपुर में 11 सितंबर को आयोजित किया जाएगा। कार्यक्रम को आयोजित करने के लिए रायपुर में 11 सितंबर को आयोजित किया जाएगा। कार्यक्रम को आयोजित करने के लिए रायपुर में 11 सितंबर को आयोजित किया जाएगा।

## शालियों में मनाया गया शिक्षक दिव

रायपुर, 11 सितंबर: रायपुर में 11 सितंबर को आयोजित किया जाएगा। कार्यक्रम को आयोजित करने के लिए रायपुर में 11 सितंबर को आयोजित किया जाएगा। कार्यक्रम को आयोजित करने के लिए रायपुर में 11 सितंबर को आयोजित किया जाएगा।

रायपुर, 11 सितंबर



www.shreecementindia.com



रायपुर में 11 सितंबर को आयोजित किया जाएगा। कार्यक्रम को आयोजित करने के लिए रायपुर में 11 सितंबर को आयोजित किया जाएगा।

**मैसर्स श्री सीमेन्ट लिमिटेड**  
(श्री रायपुर सीमेन्ट प्लांट)  
गांव-खपराखीड़, तहसील-सिमगा  
जिला-बलौचा बाजार-गाढापारा (छत्तीसगढ़)  
**सार्वजनिक सूचना**

सर्व साधारण को सूचित किया जाता है कि मैसर्स श्री सीमेन्ट लिमिटेड के इन्टीग्रेटेड सीमेन्ट प्लांट का विस्तार क्षमता 2x1.5 मिलियन टन से 2x2.6 मिलियन टन प्रतिवर्ष विलेंकर, 2x2.6 मिलियन टन से 2x3.0 मिलियन टन प्रतिवर्ष सीमेन्ट, कीथिय वर्मल पावर प्लांट 26 मेगावाट, वेस्ट छोट रिफायरी पावर प्लांट 16 मेगावाट से 30 मेगावाट, सिन्थेटिक गैस प्लांट 65 टन प्रति घंटा तथा डी.जी. सेट्स 2000 KVA (साईज 1000/500/250/125) का गांव-खपराखीड़, तहसील-सिमगा जिला- बलौचाबाजार-गाढापारा, छत्तीसगढ़ में स्थापित किये जा रहे हैं। को भारत सरकार के पर्यावरण एवं वन मंत्रालय नई दिल्ली द्वारा पर्यावरणीय प्रतिकूल प्रभाव जांच F.No. J-11011/235/2008-IA II (I) दिनांक 05 सितम्बर 2016 के द्वारा भी नहीं है। पर्यावरण प्रतिकूल प्रभाव की प्रतिक्रिया छत्तीसगढ़ पर्यावरण संरक्षण मण्डल, रायपुर पर उपलब्ध है तथा पर्यावरण एवं वन मंत्रालय भारत सरकार की वेबसाइट [www.environment.in](http://www.environment.in) एवं श्री सीमेन्ट की वेबसाइट [www.shreecementindia.in](http://www.shreecementindia.in) पर भी उपलब्ध है।



रायपुर, रविवार, 11 सितंबर 2016

महाराष्ट्र भूमि

हरिभूमि 13

मेला

## विख्यात रामायणी दाऊद खान को दी श्रद्धांजलि

मैनपुर। प्रख्यात रामायणी दाऊद खान के निधन पर तहसील मुख्यालय मैनपुर में सद्भावना मंच द्वारा श्रद्धांजलि अर्पित की गई। मंच के सदस्यों ने कहा कि दाऊद खान साम्प्रदायिक सद्भाव की जीती जागती मिसाल थे। रामायण के प्रचार-प्रसार में उनका योग्य योग्य भाग था। रामायण के प्रचार-प्रसार में उनका योग्य योग्य भाग था। रामायण के प्रचार-प्रसार में उनका योग्य योग्य भाग था।

## मैसर्स श्री सीमेंट लिमिटेड

(श्री रायपुर सीमेंट प्लांट)  
गांव-खपराडीह, तहसील-सिमगा  
जिला-बलौदा बाजार-भादामारा (छत्तीसगढ़)  
सार्वजनिक सूचना

सर्व साधारण को सूचित किया जाता है कि मैसर्स श्री सीमेंट लिमिटेड के इन्टीग्रेटेड सीमेंट प्लांट का विस्तार अंशतः 2x1.5 मिलियन टन से 2x2.6 मिलियन टन प्रतिवर्ष बिल्डिंग, 2x2.6 मिलियन टन से 2x3.0 मिलियन टन प्रतिवर्ष सीमेंट, क्रेडिट थर्मल पावर प्लांट 28 मेगावाट, वेस्ट वॉटर रिकवरी पावर प्लांट 15 मेगावाट से 30 मेगावाट, सिन्क्राइज्ड जिप्सम हार्ड 66 टन प्रति घंटा तथा डी.जी. सेट्स 2000 KVA (साईज 1000/500/250/125) जो गांव-खपराडीह, तहसील-सिमगा जिला- बलौदा बाजार-भादामारा, छत्तीसगढ़ में स्थापित किये जा रहे हैं, को भारत सरकार के पर्यावरण एवं वन मंत्रालय नई दिल्ली द्वारा पर्यावरणीय स्वीकृति त्रि-अंशक F. No. J-11011/235/2008-IA II (I) दिनांक 05 सितम्बर 2016 के द्वारा दी गई है। पर्यावरण स्वीकृति पत्र की प्रतिलिपि छत्तीसगढ़ पर्यावरण संरक्षण मण्डल, रायपुर पर उपलब्ध है तथा पर्यावरण एवं वन मंत्रालय भारत सरकार की वेबसाइट "www.environment.in" एवं श्री सीमेंट की वेबसाइट "www.shreecementltd.in" पर भी उपलब्ध है।

## NiceDicer Plus (सच्ची कट्टर)

- जर्मन तकनीकी के ब्रेकेड।
- अनलॉकेबल प्लास्टिक।
- सुपर ABS तकनीकी से बना।
- मल्टीपयर्स कटेनर बाकल।
- 11 अलग-अलग शेप की कटिंग करता है।

आपकी सच्ची कट्टर  
बर्ता सेट (कटई, शिफ्ट फीज,  
फाई वेज, हाई, बकल)  
प्रयुक्तियां बढ़ावा

ALINA WALLER

सिस्तेम के समर्थन मुफ्त कर।

SMS

8130104306



SP BALODA BAZAR (49333)  
EC0066133361IN  
Counter No:1, (P-Code:16)  
To:ADDITI. PRDCTPR. C, CIVIL. LINE  
nagpur, PIN:440001  
From:SHRI RAIPUR CEMENT, KAPRAWDH  
Wt:30grams,  
Amt:40.00 ,22/09/2016 ,14:56  
Taxes:Rs.5.00(EDD(If not a holiday):00:00:00)

SP BALODA BAZAR (49333)  
EC0066133241IN  
Counter No:1, (P-Code:16)  
To:DIRECTOR, REGIONAL OFFICE CIVIL  
nagpur, PIN:440001  
From:SHRI RAIPUR CEMENT, KAPRAWDH  
Wt:34grams,  
Amt:40.00 ,22/09/2016 ,14:57  
Taxes:Rs.5.00(EDD(If not a holiday):00:00:00)

SP BALODA BAZAR (49333)  
EC0066134301IN  
Counter No:1, (P-Code:16)  
To:REGIONAL OFFICE, REGIONAL KAPRAWDH  
Raipur, PIN:492001  
From:SHRI RAIPUR CEMENT, KAPRAWDH  
Wt:34grams,  
Amt:40.00 ,22/09/2016 ,14:58  
Taxes:Rs.5.00(EDD(If not a holiday):00:00:00)

SP BALODA BAZAR (49333)  
EC0066134431IN  
Counter No:1, (P-Code:16)  
To:IN CHARGE, DFC BORD  
It nagpur bhopal, PIN:462003  
From:SHRI RAIPUR CEMENT, KAPRAWDH  
Wt:30grams,  
Amt:40.00 ,22/09/2016 ,14:57  
Taxes:Rs.5.00(EDD(If not a holiday):00:00:00)

SP BALODA BAZAR (49333)  
EC0066134571IN  
Counter No:1, (P-Code:16)  
To:CHAIRMAN, DFC BORD SEC-19  
Raipur, PIN:492001  
From:SHRI RAIPUR CEMENT, KAPRAWDH  
Wt:30grams,  
Amt:40.00 ,22/09/2016 ,15:00  
Taxes:Rs.5.00(EDD(If not a holiday):00:00:00)