

तार :

Telegram : PARYAVARAN,
NEW DELHI

दूरभाष : 4360467

Telephono :

टेलिग्राफ (द्विभाषीय) :

Telex : (bi-lingual) : W-66185 DOE IN

FAX : 4360678

भारत सरकार

पर्यावरण एवं वन मंत्रालय

GOVERNMENT OF INDIA

MINISTRY OF ENVIRONMENT & FORESTS

पर्यावरण भवन, सी. जी. ओ. कॉम्प्लेक्स

PARYAVARAN BHAVAN, C.G.O. COMPLEX

लोदी रोड, नई दिल्ली-110003

LODHI ROAD, NEW DELHI-110003

Dated 9th April, 1997.

No. J-11011/101/96-IA.II(I).

To

The Chairman & Managing Director,
M/s Raj Cement,
(A Unit of Shree Cement Ltd.),
Bangur Nagar,
Beawar-305 901.
District Ajmer,
Rajasthan.

Sub: (Atten: Shri Rahul Mohnot, Sr. Vice-President [Project]).

Sub: 1.2 MTPA capacity cement plant at Andheri Deori, Beawar,
District Ajmer, Rajasthan - Environmental Clearance.

Sir,

The undersigned is directed to refer to your letter No. RAJ/PROJ/BWR/96 dated 1st November, 1996 regarding the above proposed documents including EIA/EMP and supplementary information submitted vide letter dated 31st January, 1997.

2. The information submitted has been carefully examined by this Ministry taking note inter alia of the fact that Rajasthan State Pollution Control Board has already granted NOC to the proposal. The Ministry hereby accords environmental clearance to the above project subject to terms and conditions laid down below :-

- i. The project authority must take necessary actions to adhere to the conditions and measures stipulated by State Government and State Pollution Control Board.
- ii. No further expansion of the plant can be taken up without the prior approval of this Ministry.
- iii. The gaseous and SPM emissions from various units must conform to the standards prescribed by the Central Government or State Pollution Control Board under the EPA

.....3/-

norms whichever is more stringent. At no time, the emissions must exceed the prescribed limits. In the event of failure of any pollution control system adopted by the units, respective unit(s) must be put out of operation immediately and shall not be restarted until the control systems are rectified to achieve the desired efficiency.

- iv. Ambient Air Quality including ambient noise levels must not exceed the standards stipulated under EPA/State authorities. Monitoring of ambient air quality and stack emissions shall be carried out regularly in consultation with SPCB and report submitted to the Board quarterly and to the Ministry (Regional Office at Lucknow) half-yearly.
- v. Fugitive emission of dust should be controlled and work environment monitored by adequate dust collection and extruction systems and houskeeping.
- vi. The project authority shall not change any design/height of the stacks without permission of State Pollution Control Board.
- vii. The water requirement for both process and domestic purposes envisaged at 2070 m³/day must be met from mine water source only by adopting proper mine storage and water utilization schemes.
- viii. Occupational health of the workers should be periodically monitored and record maintained.
- ix. As proposed in the EMP, green belt must be developed in 75 ha. around the plant in addition to greenary/plantation in 10.54 ha. A norm of 1500-2000 plants/ha. of diverse species in consultation with State Forest/Horticultural Department can be followed.
- x. A separate Environmetal Management Cell with suitably qualified personnel to carry out various environmental management functions should be set up under the control of a Senior Executive who will report directly to the head of the organisation.
- xi. The project authority must set up laboratory facility for collection and analysis of samples under the supervision of a competent technical personnel who will directly report to the Chief Executive.
- xii. The funds earmarked for environmental management measures should not be diverted for other purposes and year-wise expenditure should be reported to this Ministry. A six-monthly progress report on the project vis-a-vis environmental measures must be submitted to the State/Central Authorities.

3. The Ministry or any other competent authority may stipulate any further condition after reviewing the compliance reports. The above conditions will be monitored by the Regional Office of this Ministry located at Lucknow/CPCB/SPCB with respect to its implementation.

4. The Ministry may revoke or suspend clearance, if implementation of the stipulated conditions is not satisfactory.

5. The above conditions will be enforced inter-alia under the Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986 and Public Liability Insurance Act, 1991 alongwith their amendments.

Yours faithfully,

J. N. H. Hosabettu

(Dr. N.H. Hosabettu)
Addl. Director (S)

Copy to :-

1. Secretary, Ministry of Industry, Udyog Bhavan, New Delhi-110011.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi-110032.
3. Secretary, State Department of Environment, Government of Rajasthan, Jaipur, Rajasthan.
4. Chairman, Rajasthan State Pollution Control Board, 4, Jhalana Institutional Area, Jhalana Doongri, Jaipur-302004.
5. Senior Adviser (EI), Min. of Env. & Forests, New Delhi.
6. Chief Conservator of Forests, Regional Office (CZ), B-1/72, Sector 'K' Aliganj, Lucknow-226 020.
7. Director, (Regional Office Cell), Min. of Env. & Forests, New Delhi.
8. Additional Director (Monitoring Cell) Min. of Env. & Forests, New Delhi.
9. Guard File.
10. Record File.
11. Monitoring File.

(Dr. N.H. Hosabettu)
Addl. Director (S)