ole

CIN No. : L26943RJ1979PLC001935

Phone : 01462 228101-6
Toll Free : 1800 180 6003 / 6004
Fax : 01462 228117 / 228119

E-Mail: shreebwr@shreecementItd.com

Website : www.shreecement.in



SHREE CEMENT LTD.

150 900, PERSTERE





Regd. Office:
BANGUR NAGAR, POST BOX NO.33, BEAWAR 305 901, RAJASTHAN, INDIA

SCL/Ras/Unit-IX/Env. Statement/2019-20/8971

Date: 10/09/2019

Speed Post

To,

The Member Secretary,

File No. C-144

Rajasthan Pollution Control Board, 4, Institutional Area, Jhalana Doongri Road,

JAIPUR-302004 (Rajasthan)

Sub: - Environmental Statement for the period from April 2018 to March 2019 for Cement Plant Unit-IX of M/s Shree Cement Limited situated at Village- Ras Bhimgarh, Tehsil- Jaitaran, Dist- Pali (Raj).

Ref: - CTO No. - F(Tech)/Pali(Jaitaran)/1024(1)/2013-2014/1054-1056 dated 17/06/2019

Respected Sir,

We are submitting herewith Environmental Statement for the **period from April, 2018 to March, 2019** for Cement Plant **Unit-IX (Without Cement grinding)** of M/s Shree Cement Limited situated at Village- Ras Bhimgarh, Tehsil- Jaitaran, Dist- Pali (Raj).

This is for your kind information please.

Thanking you, Yours faithfully,

For Shree Cement Ltd;

(Dr. Anil Kumar Trivedi) Sr. GM (Environment)

Copy to: -

 Chief Conservator of Forests (Central), Ministry of Environment & Forests, Central Regional Office, Kendriya Bhawan, 5th Floor Sector H, Aliganj, Lucknow – 226024 (U.P.)

2. The Regional Officer (Regional Office), Rajasthan Board for the Prevention & Control of Pollution, S / A-6, Mandia Road, Industrial Area, Near Pali Urban Co-Operative Bank, PALI- MARWAR- 306401 (Raj.)

ofc Environment Department, Ras

JAIPUR OFFICE: SB-187, Bapu Nagar, Opp. Rajasthan University, JLN Marg, Jaipur-302 015
Phone: 0141 4241200, 4241204, Fax: 0141 4241219

NEW DELHI OFFICE: 122-123, Hans Bhawan, 1, Bahadurshah Zafar Marg, New Delhi 110 002

Phone: 011 23370828, 23379218, 23370776, Fax: 011 23370499

CORP. OFFICE: 21, Strand Road, Kolkata 700 001 Phone: 033-22309601-4 Fax: 033 22434226

ENVIRONMENTAL STATEMENT - FORM - V

M/s Shree Cement Limited: Unit-IX Period from: April 2018 to March 2019

$\underline{PART - A}$

		Cement Plant Unit-IX
	Name and address of the Owner /	M/s Shree Cement Ltd.
1.	Occupier of the Industry operation	Village: Ras/Bhimgarh,
	or process	Tehsil: Jaitaran, Dist:Pali - 306107
		(Rajasthan)
	Industry Category	
2.	Primary (S.T.C. Code)	Red Category
	Secondary (S.T.C. Code)	
3.	Production Capacity	2.85 Million TPA Clinker
4.	Year of Establishment	2013
5.	Date of the last Environmental	22.09.2018
٥.	Statement Submitted	22.09.2010

PART - B

WATER AND RAW MATERIAL CONSUMPTION

(I) WATER CONSUMPTION:

Process : N.A. (As plant is based on dry

Process technology)

Cooling and dust : 45239 KL

Suppression

Domestic : 70430 KL (Common for Cement

Plant & Power Plant)

	Process Water Consumptio	n per Unit of Product Output	
Name of Product	During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)	
Clinker	0.0258 KL/MT of Clinker	0.0215 KL/MT of Clinker	



(II) RAW MATERIAL CONSUMPTION:

Nome of Day, Matarial	Name of	Consumption of F Unit of Outp		
Name of Raw Material	Product	During Previous During Cu Financial Year Financial (2017-2018) (2018-20		
1. Limestone		1.504	1.489	
2. Laterite /Iron Ore	Clinker	0.021	0.019	
3. Coal & Pet Coke		0.101	0.093	

(III) POWER CONSUMPTION (KWH/T OF CLINKER):

During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)
51.14	51.83

(IV) TOTAL CLINKER PRODUCTION (MT):

During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)
1913104	2103419

<u>PART – C</u> <u>DISCHARGED TO ENVIRONMENTAL / UNIT OF OUTPUT</u>

Pollutants	Quantity of Pollutants Discharged (Mass/Day)	Concentration of Pollutants in Discharge (Mass/Value)	Percentage of variation from prescribed standard with reasons
(a)	Water		operated on dry process uent is generated from the
		The waste water generated canteen is treated in STP generated is used in hortical Analysis Report of STP to	d from the office toilet and and treated water & sludge alture activities. treated water is attached as
(b)	Air	Annexure-3 Please refer Annexure – 1	<u> </u>



<u>PART – D</u> <u>HAZARDOUS WASTE</u>

(As specified under Hazardous Wastes (Management, Handling & Trans boundary Movement Rule, 2016)

Hazardous	Total Qua	ntity (Ltrs.)	
Waste	During Previous	During Current	
	Financial Year	Financial Year	
	(2017-2018)	(2018-2019)	
a) From Process	Common authorization for	Common authorization for	
(Cement	Hazardous Waste	Hazardous Waste Management	
manufacturing is based	Management & Handling for	& Handling for Cement Plant,	
on "Dry Process" No	Cement Plant, Power Plant,	Power Plant, D.G.Set and	
Hazardous waste is	D.G.Set and Nimbeti	Nimbeti Limestone Mines.	
generated from the	Limestone Mines.		
process except used oil		Total Quantity generated from	
which is drained from	Total Quantity generated from	April-2018 to March-2019	
Machinery /	April-2017 to March-2018	= 12780 Ltrs.	
Equipments)	= 18270 Ltrs.	Old Stock $= 0$ Ltrs.	
	Old Stock $= 0$ Ltrs.	Total Used oil = 12780 Ltrs.	
	Total Used oil = 18270 Ltrs.	Sold-out to registered recycler	
	Sold-out to registered recycler	= 0.0 Ltrs.	
	= 18270 Ltrs.	Co-processed in cement kiln =	
	Balance Quantity= 0 Ltrs	12780 Ltrs.	
(b) From Pollution			
Control Facilities	N.A.	N.A.	
	14.21.	14.73.	



PART – E SOLID WASTE

	ı	SOLID WINDIL				
		Total Quantity				
		During Previous During Current				
		Financial Year	Financial Year			
		(2017-2018)	(2018-2019)			
(a)	From Process	Nil	Nil			
(b)	From Pollution	Dust collected in	Dust collected in the			
	Control Facility	the ESPs, Bag	ESPs, Bag Houses and			
		Houses and Bag	Bag Filters are recycled to			
		Filters are recycled	the system			
		to the system				
(c)	1. Quantity rejected or re-	1000/	1000/			
	utilized within the unit	100%				
	2. Sold	Nil	Nil			
	3. Disposed	Nil	Nil			

PART - F

Please specify the characterization (in terms of composition and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both the categories of wastes:

Hazardous Wastes

Cement manufacturing is based on "Dry Process". No Hazardous waste is generated from the process except used oil which is drained from Machineries / Equipments. The used oil & Lead acid batteries are sold to CPCB authorized recyclers.

Bio-Medical Wastes:

Bio-medical waste generated is common for cement plant, power plant and mines during current financial year April 2018 to March 2019 under the Bio-Medical Waste (Management & Handling) Rules 2016, are as follows.

	Bio-Medical Waste Quantity (Kg) as per Color Coding					
	Yellow Red Blue V					
April 2017 to March 2018	39.105 38.05 37.92 38.91					
April 2018 to March 2019	39.21					

Above mentioned waste has been sent to Sales Promoter, CBWTF Bio Medical Treatment Facility, Jaipur Bye Pass Road, Ajmer (Raj.) for disposal.



\underline{E} - Wastes:

	Total	Quantity
	During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)
From Process	1740 Kg.	Nil
From Pollution Control Facility	Nil	Nil

Solid Wastes: - N.A.
Battery Wastes:

As specified under Batteries (Management and Handling) Amendment Rules, 2010, we have purchased following new batteries of different categories is common for cement plant, power plant and mines-

	Number of new batteries of different categories purchased from the manufacturer / importer / dealer or any other agency	1 st Apr 2017 to 31 st Mar		1 st Apr 2017 to 31 st Mar 2018 to 31 st 2019		
	Category:	(i) No. of Batteries	(ii) Approximate Weight (In Metric Tonnes)	(i) No. of Batteries	(ii) Approximate Weight (In Metric Tonnes)	
	(i) Automotive					
1.	a) Four wheeler	207	8.652	219	9.568	
	b) Two wheeler	Nil	Nil	Nil	Nil	
	(ii) Industrial					
	a) UPS	455	4.640	66	0.563	
	b) Motive Power	Nil	Nil	Nil	Nil	
	c) Stand –by	Nil	Nil	Nil	Nil	
	(iii) Others	Nil	Nil	Nil	Nil	
	Total	662 Nos	13.292 MT	285 Nos	10.131 MT	
	Number of used batteries of categories mentioned in Sl. No 3 and Tonnage of scrap sent manufacturer /dealer /importer /registered recycler/or any other agency to	Previous Year 1st Apr 2017 to 31st Mar 2018 Current Year 1st Apr 2018 to 31st Mar 2019				
	whom the used batteries scrap was sent					
2.	whom the used batteries scrap was sent Category:	(i) No. of Batteries	(ii) Approximate Weight (In Metric Tonnes)	(i) No. of Batteries	(ii) Approximate Weight (In Metric Tonnes)	
2.	•	` '	Weight (In	` /	Approximate Weight (In	
2.	Category:	` '	Weight (In	` /	Approximate Weight (In	
2.	Category: (i) Automotive	Batteries	Weight (In Metric Tonnes)	Batteries	Approximate Weight (In Metric Tonnes)	
2.	Category: (i) Automotive a) Four wheeler	Batteries 164	Weight (In Metric Tonnes) 5.438	Batteries 301	Approximate Weight (In Metric Tonnes) 7.854	
2.	Category: (i) Automotive a) Four wheeler b) Two wheeler (ii) Industrial a) UPS	Batteries 164	Weight (In Metric Tonnes) 5.438	Batteries 301	Approximate Weight (In Metric Tonnes) 7.854	
2.	Category: (i) Automotive a) Four wheeler b) Two wheeler (ii) Industrial	Batteries 164 Nil 449 Nil	Weight (In Metric Tonnes) 5.438 Nil	301 Nil 112 Nil	Approximate Weight (In Metric Tonnes) 7.854 Nil	
2.	Category: (i) Automotive a) Four wheeler b) Two wheeler (ii) Industrial a) UPS b) Motive Power c) Stand –by	Batteries 164 Nil 449 Nil Nil	Weight (In Metric Tonnes) 5.438 Nil 3.592 Nil Nil	301 Nil 112 Nil Nil Nil	Approximate Weight (In Metric Tonnes) 7.854 Nil 0.896 Nil Nil	
2.	Category: (i) Automotive a) Four wheeler b) Two wheeler (ii) Industrial a) UPS b) Motive Power	Batteries 164 Nil 449 Nil	Weight (In Metric Tonnes) 5.438 Nil 3.592 Nil	301 Nil 112 Nil	Approximate Weight (In Metric Tonnes) 7.854 Nil 0.896 Nil	



Used battery scrap was sent to CPCB authorized recycler

PART - G

IMPACT OF THE POLLUTION CONTROL MEASURES ON CONSERVATION OF NATURAL RESOURCES AND CONSEQUENTLY ON THE COST OF PRODUCTION

M/s Shree Cement Limited is being operated on dry process technology, which is cost effective and environmentally clean technology. The advantage of dry process is also in fuel economy. The stack emissions from the plant are controlled by equipment like ESPs, Bag Houses and Bag Filters installed at various material transfer points to clean the process and arrest the fugitive emissions. The particulate matter collected in the pollution control equipment is recycled in process and neutralizing the cost of operation of pollution control equipments and hence no cost impact on the production cost.

Synthetic Gypsum is being used in place of natural gypsum thus directly conserves the mineral gypsum. Waste Heat Recovery System (WHRS) is installed at Pre- heater and cooler section for trapping gasses of high temperatures are being used for generation of Green Power which has resulted in conservation of fuel, reduction of GHG emissions and water conservation.

PART - H

ADDITIONAL MEASURES / INVESTMENTS PROPOSAL FOR ENVIRONMENT PROTECTION INCLUDING ABATEMENT OF POLLUTION

Green belt development and tree plantation is our ongoing process. Plantation has been carried out in an area of around 63.8 hectare with (Total land: 187.56 hc.) 165311 trees, which is ~34 % of the total land of plant area.

<u>PART – I</u>

ANY OTHER PARTICULATES FOR IMPROVING THE QUALITY OF ENVIRONMENT.

- 1. We have full-fledged Environment Department with three separate cells, for monitoring, maintenance of pollution control equipment and Green Belt development.
- 2. Monitoring of stack emission and ambient air and water quality is being done regularly.
- 3. Maintenance department is doing regular checking and scheduled maintenance of all the pollution control devices.
- 4. Civil dept. taking care of Housekeeping.
- 5. Horticulture Department is taking care of tree plantation and green belt development. Every year we are doing tree plantation and every year carbon



- sequestration being is carried out during 2018-19, 3810.66 Tons of CO2 was sequestrated.
- 6. Effective operation and maintenance of Bag House at Raw Mill & Kiln, Coal Mill, Cement mill and Cooler ESP.
- 7. Effective operation of cooler ESP transformer and control panel in first field to further reduce PM emission levels.
- 8. Constructed concreted roads at Stacker and Reclaimer area for further reduction of fugitive emissions.
- 9. Installed new bag filters at various application like DBC, transfer points etc.
- 10.Modification of Coal Mill Bag House for further reduction of Particulate emissions.
- 11.Installed NOx mitigation systems in all cement kilns (Uint-3-10) as pollution control measure to achieve prescribed standards.

We are enclosing herewith following documents:-

Annexure-1 : Stack Emission monitoring report.

Annexure-2 : Ambient Air Quality (PM10, PM2.5, SO₂ and NO₂) &

Ambient Noise Level monitoring report

Annexure-3 : STP treated water test report



Annexure: 1

Shree Cement Ltd, Ras - Unit-IX Stack Emission Report - PM, NOx & SO₂ (PM All values in mg/Nm³)

Year: 2018-19

S. No.	Month	Raw M	ill & Kiln S	Stack	Coal Mill Stack	Cooler Stack
		PM	NOx	SO2	PM	PM
1	Apr-18	17	716	6.9	14	9
2	May-18	19	638	7.9	18	11
3	Jun-18	17	722	6.7	16	7
4	Jul-18	14	662	7.7	13	6
5	Aug-18	20	735	7.36	15	7
6	Sep-18	17	735	7.36	12	10
7	Oct-18	24	675	17	22	11
8	Nov-18	20	623	8.5	16	4
9	Dec-18	19	757	0	18	6
10	Jan-19	17	684	6	15	9
11	Feb-19	22	695	0	19	8
12	Mar-19	19	439.8	0	23	5
Av	erage	19	673	6	17	8



Annexure: 2

														Anne	xure:	2
						<u>Sl</u>	ree Ce	ment L	td, Ras							
	Ambient Air Quality (µg/M³) Monitoring Report For The Period Of April 2018 To March 2019 Common for Cement plant & Power plant															
<u>Year:-2018-2019</u>																
Location →	Plant Boundary Near Main Gate AAQ in μg/M ³				Plant Boundary Near Mess AAQ in μg/M ³				Plant Boundary towards Stacker & Reclaimer AAQ in µg/M³				Plant boundry towards village Khera & Jawangarh AAQ in µg/M³			
Parameter →	PM 2.5	PM 10	SO ₂	NO ₂	PM 2.5	PM 10	SO ₂	NO ₂	PM 2.5	PM 10	SO ₂	NO ₂	PM 2.5	PM 10	SO ₂	NO ₂
Apr-18	36.1	54.8	7.9	12.1	31.0	48.6	8.2	11.0	28.3	47.8	7.7	11.1	25.6	46.8	7.2	10.8
May-18	34.6	53.3	7.7	11.3	31.6	48.3	9.2	11.4	30.6	47.0	8.1	10.8	27.1	46.9	7.5	10.6
Jun-18	33.6	51.1	7.9	10.9	32.5	44.8	8.6	10.8	31.8	47.8	7.7	10.6	29.0	46.3	7.3	10.3
Jul-18	30.8	48.3	7.9	10.4	31.0	47.6	8.4	10.5	31.5	45.4	7.8	10.3	29.1	44.8	7.4	9.9
Aug-18	28.5	46.3	8.1	10.7	28.9	46.5	8.6	10.1	27.8	43.3	8.0	10.4	25.0	39.3	7.6	10.1
Sep-18	29.0	48.4	8.2	10.3	29.4	49.0	8.3	10.6	31.1	48.0	8.0	10.6	28.4	44.9	7.6	10.2
Oct-18	30.1	45.1	8.4	10.9	34.4	45.1	9.0	11.1	37.6	45.9	8.9	10.9	33.1	44.6	8.4	10.5
Nov-18	28.5	41.9	8.6	10.6	36.5	45.9	8.8	10.9	37.3	43.8	9.0	10.8	33.5	45.5	8.6	10.3
Dec-18	33.4	49.6	9.3	11.7	30.4	43.0	10.1	11.5	33.5	47.9	9.2	11.5	31.5	46.3	8.8	11.2
Jan-19	34.6	45.2	8.9	12.0	33.5	41.9	9.1	11.9	36.8	40.9	8.8	11.9	32.0	43.5	8.5	11.5
Feb-19	36.5	52.4	8.7	12.3	31.6	46.6	8.5	12.3	32.0	45.9	8.2	12.1	28.1	43.0	7.9	11.7
Mar-19	36.3	52.0	14.4	11.6	33.3	47.8	8.8	11.5	35.8	48.3	9.4	11.5	29.5	42.0	9.2	11.1
Average	32.7	49.0	8.8	11.2	32.0	46.3	8.8	11.1	32.8	46.0	8.4	11.0	29.3	44.5	8.0	10.7



Shree Cement Ltd, Ras														
Ambient Noise Level dB(A) Monitoring Report For The Period Of April 2018 To March 2019														
	Common for Cement plant & Power plant													
<u>Year:-2018-2019</u>														
Location →		ndary Near n Gate		ndary Near Iess	towards	oundary Stacker & aimer	Plant boundry towards village Khera & Jawangarh Noise Level in dB(A)							
	Noise Lev	rel in dB(A)	Noise Lev	rel in dB(A)	Noise Lev	rel in dB(A)								
Parameter →	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time						
Apr-18	71.20	66.90	72.60	65.50	70.60	60.70	68.90	62.10						
May-18	72.40	67.20	70.30	64.80	67.60	61.20	65.10	60.30						
Jun-18	70.60	64.20	72.60	63.40	66.40	61.60	63.60	59.20						
Jul-18	68.20 59.30		70.30	62.60	65.20	61.90	62.30	58.20						
Aug-18	71.30 59.90		68.60	61.30	67.20	62.20	61.90	57.50						
Sep-18	68.20	59.30	70.30	62.60	65.20	61.90	62.30	58.20						
Oct-18	70.10	58.20	64.00	60.10	71.50	63.30	63.30	55.50						
Nov-18	65.00	56.90	71.00	60.50	68.50	60.10	60.10	57.10						
Dec-18	71.20	59.90	70.20	57.50	65.30	60.80	61.00	59.90						
Jan-19	73.10	62.90	70.60	61.70	67.40	62.50	64.30	60.40						
Feb-19	72.80	63.20	69.20	60.90	68.60	66.90	63.50	61.40						
Mar-19	71.50	62.70	70.20	61.30	67.30	69.10	62.30	58.10						
Average	70.5	61.7	70.0	61.9	67.6	62.7	63.2	59.0						



Annexure: 3

	(STP Treated Water Quality, Year 2018-2019)													
S. No.	Parameter ↓	Apr- 18	May- 18	Jun- 18	Jul- 18	Aug- 18	Sep- 18	Oct- 18	Nov- 18	Dec- 18	Jan- 19	Feb- 19	Mar- 19	Avg.
1	pН	7.29	7.3	7.33	7.26	7.66	7.36	7.26	7.31	7.22	7.39	7.5	7.44	7.36
2	Total Suspended Solids	42.3	46.3	48.2	42.1	46.6	48.2	56	43.2	40.3	43.6	40	42	44.90
3	Oil and Grease	3.1	3.4	3.1	3.9	2.95	1.56	2.04	1.8	1.8	2	<4.0	2.53	3.1
4	BOD 3days 27°C	18.4	17.5	15.7	13.2	15	16.7	15.3	17.9	11.2	13.3	11.9	24	15.84
5	COD	89.3	92.3	90.1	98.5	95.1	86.5	95.3	89.2	98.1	135	146	62.9	98.19