olc

CIN No. : L26943RJ1979PLC001935

Phone : 01462 228101-6
Toll Free : 1800 180 6003 / 6004
Fax : 01462 228117 / 228119

-Mail : shreebwr@shreecementItd.com

Website : www.shreecement.in



SHREE CEMENT LTD.

SO 900)





Regd. Office:
BANGUR NAGAR, POST BOX NO.33, BEAWAR 305 901, RAJASTHAN, INDIA

SCL/Ras/Unit-VIII/Env. Statement/2019-20/ 897/

Date: 10/09/2019

Speed Post

File No. C-092

To,

The Member Secretary,

Rajasthan Pollution Control Board,

4, Institutional Area, Jhalana Doongri Road,

JAIPUR-302004 (Rajasthan)

Sub: - Environmental Statement for the period from April 2018 to March 2019 for Cement Plant Unit-VIII of M/s Shree Cement Limited situated at Village- Ras Bhimgarh, Tehsil- Jaitaran, Dist- Pali (Raj).

Ref: - (1) CTO No. - F(Tech)/Pali(Jaitaran)/2(1)/2008-2009/5277-5279 dated: 06/09/2017 (2) CTO No. - F(Tech)/Pali(Jaitaran)/2(1)/2008-2009/3130-3132 dated 08/08/2018

Respected Sir,

We are submitting herewith Environmental Statement for the period from April 2018 to March 2019 for Cement Plant Unit-VIII (Without Cement grinding) of M/s Shree Cement Limited situated at Village- Ras Bhimgarh, Tehsil- Jaitaran, Dist- Pali (Raj).

This is for your kind information please.

Thanking you, Yours faithfully,

For Shree Cement Ltd;

(Dr. Anii Kumar Trivedi) Sr. GM (Environment)

Copy to:-

 Chief Conservator of Forests (Central), Ministry of Environment & Forests, Central Regional Office, Kendriya Bhawan, 5th Floor Sector H, Aliganj, Lucknow – 226024 (U.P.)

2. The Regional Officer (Regional Office), Rajasthan Board for the Prevention & Control of Pollution, S / A-6, Mandia Road, Industrial Area, Near Pali Urban Co-Operative Bank, PALI- MARWAR- 306401 (Raj.)

OC Environment Department, Ras

JAIPUR OFFICE : SB-187, Bapu Nagar, Opp. Rajasthan University, JLN Marg, Jaipur-302 015 Phone : 0141 4241200, 4241204, Fax : 0141 4241219

NEW DELHI OFFICE: 122-123, Hans Bhawan, 1, Bahadurshah Zafar Marg, New Delhi 110 002

Phone: 011 23370828, 23379218, 23370776, Fax: 011 23370499
CORP. OFFICE: 21, Strand Road, Kolkata 700 001 Phone: 033-22309601-4 Fax: 033 22434226

ENVIRONMENTAL STATEMENT - FORM - V

M/s Shree Cement Limited: Unit-VIII Period from: April 2018 to March 2019

$\underline{PART} - \underline{A}$

1.	Name and address of the Owner / Occupier of the Industry operation or process	Cement Plant Unit-VIII M/s Shree Cement Ltd. Village: Ras/Bhimgarh, Tehsil: Jaitaran, Dist:Pali - 306107
		(Rajasthan)
2.	Industry Category Primary (S.T.C. Code) Secondary (S.T.C. Code)	Red Category
3.	Production Capacity	1.55 Million TPA Clinker
4.	Year of Establishment	2010
5.	Date of the last Environmental Statement Submitted	22/09/2018

$\underline{PART - B}$

WATER AND RAW MATERIAL CONSUMPTION

(I) WATER CONSUMPTION:

Process : N.A. (As plant is based on dry

Process technology)

Cooling and dust : 29967 KL

Suppression

Domestic : 70430 KL (Common for Cement

Plant & Power Plant)

	Process Water Consumption	on per Unit of Product Output
Name of Product	During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)
Clinker	0.0251 KL/MT of Clinker	0.02519 KL/MT of Clinker



(II) RAW MATERIAL CONSUMPTION:

Name of Dam Matarial	Name of	Consumption of Raw Material Per Unit of Output (Cement)		
Name of Raw Material	Product	During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)	
1. Limestone		1.488	1.490	
2. Laterite /Iron Ore	Clinker	0.022	0.018	
3. Performance Improver	<u> </u>	0.0011	0.000	
4. Coal & Pet Coke		0.103	0.094	

(III) POWER CONSUMPTION (KWH/T OF CLINKER):

During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)	
57.22	55.93	

(IV) TOTAL CLINKER PRODUCTION (MT):

During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)	
1073103	1189639	



 $\underline{PART-C}$ DISCHARGED TO ENVIRONMENTAL / UNIT OF OUTPUT

Pollutants	Quantity of Pollutants	Concentration of Pollutants in	Percentage of variation from prescribed
	Discharged	Discharge	standard with reasons
	(Mass/Day)	(Mass/Value)	
(a)	Water	technology, no liquid of the cement plant. The waste water gener and canteen is treated in sludge generated is used	operated on dry process effluent is generated from atted from the office toilet in STP and treated water & I in horticulture activities. Per treated water is attached
(b)	Air	Please refer Annexure -	1 & 2

$\frac{PART-D}{HAZARDOUS\ WASTE}$

(As specified under Hazardous Wastes (Management, Handling & Trans boundary Movement Rule, 2016)

Wiovement Kule, 2010)				
Hazardous	Total Qu	antity (Ltrs.)		
Waste	During Previous Financial	During Current Financial Year		
	Year	(2018-2019)		
	(2017-2018)			
a) From Process	Common authorization for	Common authorization for		
(Cement	Hazardous Waste Management	Hazardous Waste Management &		
manufacturing is	& Handling for Cement Plant,	Handling for Cement Plant, Power		
based on "Dry	Power Plant, D.G.Set and	Plant, D.G.Set and Nimbeti		
Process" No	Nimbeti Limestone Mines.	Limestone Mines.		
Hazardous waste is				
generated from the	Total Quantity generated from	Total Quantity generated from		
process except used	April-2017 to March-2018	April-2018 to March-2019		
oil which is drained	= 18270 Ltrs.	= 12780 Ltrs.		
from Machinery /	Old Stock = 0 Ltrs.	Old Stock $= 0$ Ltrs.		
Equipments)	Total Used oil = 18270 Ltrs.	Total Used oil = 12780 Ltrs.		
	Sold-out to registered recycler	Sold-out to registered recycler		
	= 18270 Ltrs.	$= 0.0 \mathrm{Ltrs}.$		
	Balance Quantity= 0 Ltrs	Co-processed in cement kiln =		
	-	12780 Ltrs.		
(b) From Pollution	N.A.	N.A.		
Control Facilities	1 111	1 111 11		



PART – E SOLID WASTE

		Tota	al Quantity	
		During Previous Financial Year (2017-2018)	During Current Financial Year (2018-2019)	
(a)	From Process	Nil	Nil	
(b)	From Pollution	Dust collected in the ESPs, Bag Houses an		
	Control Facility	Bag Filters are recycled to the system.		
(c)	1. Quantity rejected or reutilized within the unit	100%	100%	
	2. Sold	Nil	Nil	
	3. Disposed	Nil	Nil	

PART - F

Please specify the characterization (in terms of composition and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both the categories of wastes:

Hazardous Wastes

Cement manufacturing is based on "Dry Process". No Hazardous waste is generated from the process except used oil which is drained from Machineries / Equipments. The used oil & Lead acid batteries are sold to CPCB authorized recyclers.

Bio-Medical Wastes:

Bio-medical waste generated is common for cement plant, power plant and mines during current financial year April 2018 to March 2019 under the Bio-Medical Waste (Management & Handling) Rules 2016, are as follows.

	Bio-Medical Waste Quantity (Kg) as per Color Coding			
	Yellow Red Blue White			
April 2017 to March 2018	39.105	38.05	37.92	38.91
April 2018 to March 2019	39.21 28.448 41.065 32.01			

Above mentioned waste has been sent to Sales Promoter, CBWTF Bio Medical Treatment Facility, Jaipur Bye Pass Road, Ajmer (Raj.) for disposal.

E- Wastes:

	Total Quantity		
	During Previous Financial Year (2017-2018) During Curr Financial Year (2018-2019)		
From Process	1740 Kg.	Nil	
From Pollution Control Facility	Nil	Nil	



Solid Wastes: - N.A.

Battery Wastes:

As specified under Batteries (Management and Handling) Amendment Rules, 2010, we have purchased following new batteries of different categories is common for cement plant, power plant and mines –

	Number of new batteries of different categories purchased from the manufacturer /	_	Year 017 to 31 st Mar	_	ear 18 to 31 st Mar	
	importer / dealer or any other agency Category:	(i) No. of Batteries	(ii) Approximate Weight (In Metric Tonnes)	(i) No. of Batteries	(ii) Approximate Weight (In Metric Tonnes)	
1.	(i) Automotive		_			
1.	a) Four wheeler	207	8.652	219	9.568	
	b) Two wheeler	Nil	Nil	Nil	Nil	
	(ii) Industrial					
	a) UPS	455	4.640	66	0.563	
	b) Motive Power	Nil	Nil	Nil	Nil	
	c) Stand –by	Nil	Nil	Nil	Nil	
	(iii) Others	Nil	Nil	Nil	Nil	
	Total	662 Nos	13.292 MT	285 Nos	10.131 MT	
	Number of used batteries of categories mentioned in Sl. No 3 and Tonnage of scrap sent manufacturer /dealer /importer /registered recycler/or any other agency to whom the used batteries scrap was sent		Previous Year 1 st Apr 2017 to 31 st Mar 2018		Current Year 1st Apr 2018 to 31st Mar 2019	
2.	Category:	(i) No. of Batteries	of Weight (In		(ii) Approximate Weight (In Metric Tonnes)	
	(i) Automotive					
	a) Four wheeler	164	5.438	301	7.854	
	b) Two wheeler	Nil	Nil	Nil	Nil	
	(ii) Industrial					
	a) UPS	449	3.592	112	0.896	
	b) Motive Power	Nil	Nil	Nil	Nil	
	c) Stand –by	Nil	Nil	Nil	Nil	
	(iii) Others	Nil	Nil	Nil	Nil	
	Total	613 Nos	9.030 MT	413 Nos	8.750 MT	

Used battery scrap was sent to CPCB authorized recycler



PART - G

IMPACT OF THE POLLUTION CONTROL MEASURES ON CONSERVATION OF NATURAL RESOURCES AND CONSEQUENTLY ON THE COST OF PRODUCTION

M/s Shree Cement Limited is being operated on dry process technology, which is cost effective and environmentally clean technology. The advantage of dry process is also in fuel economy. The stack emissions from the plant are controlled by equipment like ESPs, Bag Houses and Bag Filters installed at various material transfer points to clean the process and arrest the fugitive emissions. The particulate matter collected in the pollution control equipment is recycled in process and neutralizing the cost of operation of pollution control equipments and hence no cost impact on the production cost.

Synthetic Gypsum is being used in place of natural gypsum thus directly conserves the mineral gypsum. Waste Heat Recovery System (WHRS) is installed at Pre-heater and cooler section for trapping gasses of high temperatures are being used for generation of Green Power which has resulted in conservation of fuel, reduction of GHG emissions and water conservation.

PART – H

ADDITIONAL MEASURES / INVESTMENTS PROPOSAL FOR ENVIRONMENT PROTECTION INCLUDING ABATEMENT OF POLLUTION

Green belt development and tree plantation is our ongoing process. Plantation has been carried out in an area of around 63.8 hectare with (Total land: 187.56 hc.)165311 trees, which is ~34 % of the total land of plant area.

<u>PART – I</u> <u>ANY OTHER PARTICULATES FOR IMPROVING THE QUALITY OF</u> ENVIRONMENT.

- 1. We have full-fledged Environment Department with three separate cells, for monitoring, maintenance of pollution control equipment and Green Belt development.
- 2. Monitoring of stack emission and ambient air and water quality is being done regularly.
- 3. Maintenance department is doing regular checking and scheduled maintenance of all the pollution control devices.
- 4. Civil dept. taking care of Housekeeping.
- 5. Horticulture Department is taking care of tree plantation and green belt development. Every year we are doing tree plantation and every year carbon sequestration being is carried out during 2018-19, 3810.66 Tons of CO2 was sequestrated.





- 6. Effective operation and maintenance of Bag House at Raw Mill & Kiln, Coal Mill, Cement mill and Cooler ESP.
- 7. Effective operation of cooler ESP transformer and control panel in first field to further reduce PM emission levels.
- 8. Constructed concreted roads at Stacker and Reclaimer area for further reduction of fugitive emissions.
- 9. Installed new bag filters at various application like DBC, transfer points etc.
- 10.Modification of Coal Mill Bag House for further reduction of Particulate emissions.
- 11.Installed NOx mitigation systems in all cement kilns (Uint-3-10) as pollution control measure to achieve prescribed standards.

We are enclosing herewith following documents:-

Annexure-1 : Stack Emission monitoring report.

Annexure-2 : Ambient Air Quality (PM10, PM2.5, SO₂ and NO₂) &

Ambient Noise Level monitoring report

Annexure-3 : STP treated water test report



Annexure: 1

Shree Cement Limited, Ras: Unit-VIII Stack Emission monitoring Report (PM, SO₂ & NOx) All values in mg/Nm³

Year: 2018-2019

S. No.	Month]	Raw Mill & Kiln Stack		Coal Mill Stack	Clinker Cooler Stack
		PM	NOx	SO ₂	PM	PM
1	Apr-18	12	763	7.7	16	9
2	May-18	14	685	0	12	11
3	Jun-18	17	762	0	10	8
4	Jul-18	13	720	0	7	9
5	Aug-18	16	733	6.5	10	18
6	Sep-18	10	733	7.7	12	10
7	Oct-18	13	762	0	15	17
8	Nov-18	14	776	0	18	12
9	Dec-18	12	757	0	15	20
10	Jan-19	10	636	0	22	12
11	Feb-19	12	761	26	17	10
12	Mar-19	16	570.4	0	24	8
A	verage	13	722	4	15	12



Continuation sheet

Annexure: 2

Shree Cement Ltd, Ras																
Ambient Air Quality (µg/M³) Monitoring Report For The Period Of April 2018 To March 2019																
	Common for Cement plant & Power plant															
<u>Year:-2018-2019</u>																
Location →	Plant Boundary Near Main Gate				Plant Boundary Near Mess				Plant Boundary towards Stacker & Reclaimer				Plant boundry towards village Khera & Jawangarh			
	AAQ in μg/M³				AAQ in μg/M³				AAQ in μg/M³				AAQ in μg/M³			
Parameter →	PM 2.5	PM1 0	SO ₂	NO 2	PM 2.5	PM 10	SO 2	NO ₂	PM 2.5	PM 10	SO 2	NO ₂	PM 2.5	PM 10	SO ₂	NO ₂
Apr-18	36.1	54.8	7.9	12.1	31.0	48.6	8.2	11.0	28.3	47.8	7.7	11.1	25.6	46.8	7.2	10.8
May-18	34.6	53.3	7.7	11.3	31.6	48.3	9.2	11.4	30.6	47.0	8.1	10.8	27.1	46.9	7.5	10.6
Jun-18	33.6	51.1	7.9	10.9	32.5	44.8	8.6	10.8	31.8	47.8	7.7	10.6	29.0	46.3	7.3	10.3
Jul-18	30.8	48.3	7.9	10.4	31.0	47.6	8.4	10.5	31.5	45.4	7.8	10.3	29.1	44.8	7.4	9.9
Aug-18	28.5	46.3	8.1	10.7	28.9	46.5	8.6	10.1	27.8	43.3	8.0	10.4	25.0	39.3	7.6	10.1
Sep-18	29.0	48.4	8.2	10.3	29.4	49.0	8.3	10.6	31.1	48.0	8.0	10.6	28.4	44.9	7.6	10.2
Oct-18	30.1	45.1	8.4	10.9	34.4	45.1	9.0	11.1	37.6	45.9	8.9	10.9	33.1	44.6	8.4	10.5
Nov-18	28.5	41.9	8.6	10.6	36.5	45.9	8.8	10.9	37.3	43.8	9.0	10.8	33.5	45.5	8.6	10.3
Dec-18	33.4	49.6	9.3	11.7	30.4	43.0	10.	11.5	33.5	47.9	9.2	11.5	31.5	46.3	8.8	11.2
Jan-19	34.6	45.2	8.9	12.0	33.5	41.9	9.1	11.9	36.8	40.9	8.8	11.9	32.0	43.5	8.5	11.5
Feb-19	36.5	52.4	8.7	12.3	31.6	46.6	8.5	12.3	32.0	45.9	8.2	12.1	28.1	43.0	7.9	11.7
Mar-19	36.3	52.0	14.4	11.6	33.3	47.8	8.8	11.5	35.8	48.3	9.4	11.5	29.5	42.0	9.2	11.1
Average	32.7	49.0	8.8	11.2	32.0	46.3	8.8	11.1	32.8	46.0	8.4	11.0	29.3	44.5	8.0	10.7



Continuation sheet

Shree Cement Ltd, Ras Ambient Noise Level dB(A) Monitoring Report For The Period Of April 2018 To March 2019 Common for Cement plant & Power plant Year:-2018-2019 **Plant Boundary Plant boundry towards** Plant Boundary Near Plant Boundary Near towards Stacker & village Khera & Location **Main Gate** Mess Reclaimer Jawangarh Noise Level in dB(A) Noise Level in dB(A) Noise Level in dB(A) Noise Level in dB(A) **Paramete** Day time Night time Day time Night time Day time Night time Day time Night time Apr-18 71.20 66.90 72.60 65.50 70.60 60.70 68.90 62.10 72.40 67.20 70.30 64.80 67.60 61.20 65.10 60.30 May-18 Jun-18 70.60 64.20 63.40 66.40 59.20 72.60 61.60 63.60 Jul-18 68.20 59.30 70.30 62.60 65.20 61.90 62.30 58.20 71.30 59.90 68.60 61.30 67.20 62.20 61.90 57.50 Aug-18 Sep-18 68.20 59.30 70.30 62.60 65.20 61.90 62.30 58.20 Oct-18 70.10 58.20 64.00 60.10 71.50 63.30 63.30 55.50 Nov-18 65.00 56.90 71.00 60.50 68.50 60.10 60.10 57.10 Dec-18 71.20 59.90 70.20 57.50 65.30 60.80 59.90 61.00 Jan-19 61.70 73.10 62.90 70.60 67.40 62.50 64.30 60.40 Feb-19 72.80 63.20 69.20 60.90 68.60 66.90 63.50 61.40 Mar-19 71.50 62.70 70.20 61.30 67.30 69.10 62.30 58.10 70.5 61.7 70.0 61.9 67.6 62.7 63.2 59.0 Average



Continuation sheet

Annexure: 3

	(STP Treated Water Quality, Year 2018-2019)													
S. No.	Parameter ↓	Apr- 18	May- 18	Jun- 18	Jul- 18	Aug- 18	Sep- 18	Oct- 18	Nov- 18	Dec- 18	Jan- 19	Feb- 19	Mar- 19	Avg.
1	pН	7.29	7.3	7.33	7.26	7.66	7.36	7.26	7.31	7.22	7.39	7.5	7.44	7.36
2	Total Suspended Solids	42.3	46.3	48.2	42.1	46.6	48.2	56	43.2	40.3	43.6	40	42	44.90
3	Oil and Grease	3.1	3.4	3.1	3.9	2.95	1.56	2.04	1.8	1.8	2	<4.0	2.53	3.1
4	BOD 3days 27°C	18.4	17.5	15.7	13.2	15	16.7	15.3	17.9	11.2	13.3	11.9	24	15.84
5	COD	89.3	92.3	90.1	98.5	95.1	86.5	95.3	89.2	98.1	135	146	62.9	98.19