CIN No. : L26943RJ1979PLC001935 Phone : 01462 228101-6 Toll Free : 1800 180 6003 / 6004 Fax : 01462 228117 / 228119 E-Mail : shreebwr@shreecementltd.com Website : www.shreecement.in

s0 1400

SO 900

SHREE CEMENT LTD.

Regd. Office:

BANGUR NAGAR, POST BOX NO.33, BEAWAR 305 901, RAJASTHAN, INDIA

SCL/WB/ENV/2019-20/ 11332

Date:-25/11/2019

To, The Chief Environment Officer & Member Secretary, State Level Environment Impact Assessment Authority, PranisampadBhavan, Block 'LB' - 2, 5th Floor, Sector - III, Salt Lake, Kolkata – 700106.

Sub: - Compliance of environmental clearance for the proposed Cement Grinding Unit of capacity 5 MTPA and CPP of capacity 20 MW at village – Parbatpur & Digha, Tehsil – Raghunathpur, Dist – Purulia, West Bengal by West Bengal Grinding unit (A unit of Shree Cement Limited).

Ref: - SEIA Letter No. 1197/EN/T-II/001/2016 dated 12/06/2017 & 03.04.2018.

Dear Sir,

In reference to the above subjected matter and referred letter, we are submitting herewith half yearly compliance report of environmental clearance letter for the period of **April- 2019 to September- 2019**.

This is for your kind information please.

Thanking you, Yours faithfully, For West Bengal Grinding unit (A unit of Shree Cement Ltd.)

(Dr. Anil Kumar Trivedi) Sr. General Manager (Environment)

- Cc:(1) The Member Secretary, West Bengal Pollution Control Board, Paribesh Bhavan,10A,Block-L.A., Sector -III, Salt Lake City, Calcutta - 700 098
 - (2) The Regional In-charge (Regional Office), West Bengal Pollution Control Board, ADDA, Commercial Market (2nd Floor), Opp.- Asansol Fire Station, G. T. Road, Asansol-713301 Burdwan.

JAIPUR OFFICE : SB-187, Bapu Nagar, Opp. Rajasthan University, JLN Marg, Jaipur-302 015 Phone : 0141 4241200, 4241204, Fax : 0141 4241219 NEW DELHI OFFICE : 122-123, Hans Bhawan, 1, Bahadurshah Zafar Marg, New Delhi 110 002 Phone : 011 23370828, 23379218, 23370776, Fax : 011 23370499 CORP. OFFICE : 21, Strand Road, Kolkata 700 001 Phone : 033-22309601-4 Fax : 033 22434226

and CPP of capacity 20 MW of Shree Cement Ltd. at Village – Parbatpur & Digha, Tehsil – Raghunathpur, Dist - Purulia, West Bengal for the period from April, 2019 to September, 2019.					
S.No	Conditions	Compliance Status			
Α.	Specific Conditions				
(i)	The gaseous emissions from various process units should conform to the load/mass based standards prescribed by the Ministry of Environment & Forests and the State Pollution Control Board from time to time. At no time the emission level should go beyond the prescribed standards.	Emissions from various process units will be conform to the standards prescribed by the Ministry of Environment & Forests and the State Pollution Control Board.			
(ii)	Cement grinding shall be carried out in closed cement mill. Provision of dust extraction and pollution control systems along with minimum stack height of 30 m from G.L. should be made for control of emission. Highly efficient Pulse Jet Bag Filters & ID Fan should be provided for Raw Material Handling Section, VRM, HAG, Coal Mill, Ball Mill, Silos and Packing Section. Stack emissions shall be monitored at regular intervals and records maintained. The stack emission should not exceed 50 mg/Nm ³ .	Cement grinding will be carried out in closed circuit cement mill. Provision of dust extraction and pollution control systems along with minimum stack height of 30 m from ground level shall be made for control of emission. High efficient Pulse Jet Bag Filters & ID Fan shall be provided for Raw Material Handling Section, VRM, HAG, Coal Mill, Ball Mill, Silos and Packing Section. Stack emissions shall be monitored at regular basis and records shall be maintained. The stack emission will not exceed 30 mg/Nm ³ .			
(iii)	Electrostatic Precipitator of high efficiency must be attached to the coal based CPP boiler along with ID fan of sufficient capacity and stack of height 50 m from GL. Coal crushing and handling section must be equipped with adequate number of efficient Pulse Jet Bag Filters. Highly efficient water sprinklers should be installed to reduce fugitive emission from potentially dust prone areas.	ESP of high efficiency will be attached to the coal based CPP boiler along with ID fan of sufficient capacity and stack of height will be made 50 m from ground level. Coal crushing and handling section shall be equipped with adequate number of efficient Pulse Jet Bag Filters. Water sprinklers shall be installed to reduce fugitive emission from potentially dust prone areas.			
(i∨)	Regular monitoring of the ambient air quality shall be carried out in and around the plant and records shall be maintained. All possible care to be taken to maintain the ambient air quality standards as per GSR 826 (E) dated 16.11.2009.				
(v)	Finished product should be collected in silo and package in should be done through pneumatically controlled system. Suction system should be installed at packaging section to minimize fugitive emission.	Finished product shall be collected in silo and packaging shall be done through pneumatically controlled system. Suction system shall be installed at packaging section to minimize fugitive emission.			
(vi)	All vibrating screens, storage bins will be adequately covered. Covered storage yards shall be provided for raw materials. Closed unloading of raw materials and closed conveyor belt for transportation with bag filter at transfer points should be provided. Suction head should be provided at all transfer points.	Noted and will be complied.			

(vii)	Adequate dust extraction system should be provided in	Adequate dust extraction system will be
(*")	material storage areas, material unloading and transfer points for controlling fugitive emission. Fugitive dust emissions from ball mill and storage areas shall be collected in bag filters and recycled back to the process. Water sprinkling arrangement shall be made wherever feasible.	provided in material storage areas, material unloading and transfer points for controlling fugitive emission. Collected bag filters dust will be recycled back to the process.
(viii)	Ground water shall not be abstracted without prior permission of the competent authority as per The West Bengal Ground Water Resources (Management, Control and Regulation) Act, 2005.	Yes, we have already obtained permission for sinking of new well dated 30.12.2016 from West Bengal Ground Water Resources under (Management, Control and Regulation) Act, 2005.
(ix)	Process effluent discharge is not permitted. No liquid effluent shall be generated by adoption of dry grinding process.	Agreed with. Zero liquid discharge rules will be followed.
(x)	Clinker manufacturing is not permitted under this environmental clearance. Clinker and fly ash shall be stored in the closed silos and slag and gypsum in covered shed.	Agreed with.
(xi)	Solid waste viz. dust generated shall be properly recycled and reutilized in the process itself.	Agreed with.
(xii)	Adequate provisions should be made for harvesting rainwater. The unit may develop water storage facilities of adequate capacity as proposed to harvest rainwater. The harvested water should be used for plantation, firefighting, washing and cleaning etc. Recharging of Ground water is not permitted.	Adequate provisions will be made for rainwater harvesting. The harvested water will be used for plantation, firefighting, washing and cleaning etc.
(xiii)	Green belt shall be developed within the plant premises. At least 33% of the area should be kept for green belt development. At least 9200 number of trees to be planted in the exclusive tree plantation area of 32.45 acres. Indicative list of species is given in Annexure-1.There should not be any removal/ destruction of vegetative cover both at the establishment as well as the operational stage, without the sanction of appropriate authority.	Agreed with. Green Belt will be developed as per CPCB guidelines. Zero removal of vegetation will be ensured during establishment & operational stage.
(xiv)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989viz. 75dBA (daytime) and 70 dBA (nighttime).	Turbines, compressors will be installed in closed building. Plantation will be done all around the plant boundary. Proper maintenance and lubrication will be done of all machines to maintain the noise level of 85 dB(A) in plant premises and 75 dB(A) (day time) and 70 dB(A) (night time) at the plant boundary.
(xv)	All internal roads should be pitched Proper lighting and proper pathway inside the factory premises should be constructed to ensure safe vehicular movement. Provision of separate pathway for entry and exit of vehicles should be considered. Vehicles should conform to pollution under control (PUC) norms. Proper housekeeping shall be maintained within the premises.	All internal roads will be pitched. Proper lighting and proper pathway inside the factory premises will be constructed. Provision of separate pathway for entry and exit of vehicles will be considered. Vehicles will be conformed to pollution under control (PUC) norms. Proper housekeeping will be maintained within the premises.

(xvi)	Health and safety of workers should be ensured. Workers should be provided with adequate personnel protective equipment and sanitation facilities. Occupational Health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Agreed with. Adequate PPEs will be provided to the worker. Occupational health surveillance program for workers will be done on regular basis and records maintained as per the factory Act.
(xvii)	Adequate measures to be adopted to ensure industrial safety. Proper fire detection & protection systems to be provided to control fire and explosion hazards.	Agreed with. First aid center, ambulance will be provided at site round- the clock. Apart from that use of the PPEs (Helmet, safety goggle and safety shoes) will be ensure for all employees at work.
(x∨iii)	All the recommendations mentioned in the Corporate Responsibility for Environmental Protection (CREP) guidelines for Cement Plants shall be followed and complied.	CREP guidelines will be followed.
(xix)	The implementation and monitoring of Environmental Management Plan should be carried out, as proposed.	The implementation and monitoring of Environmental Management Plan will be carried out on regular basis.
(xx)	All the issues raised in the public hearing should be complied with.	Agreed and will be complied.
(xxi)	At least 2.5 % of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs and action plan with financial and physical break-up shall be prepared and submitted. Implementation of such program shall be ensured accordingly in a time bound manner.	Agreed with.
B.	GENERAL CONDITIONS:	
(i)	The environmental clearance accorded shall be valid for a period of 7 (seven) years for the proposed project.	Noted.
(ii)	Prior Consent to Establish (NOC) for the proposed project must be obtained from WBPCB before commencement of construction. All other statutory clearances should be obtained by project proponent from the competent authorities.	Agreed with. Consent to Establish will be obtained for the proposed project from WBPCB before commencement of construction.
(iii)	The project proponent shall comply with all the environmental protection measures and safeguards recommended. Further, the unit must undertake socio- economic development activities in the surrounding villages like community development programs, educational programs, drinking water supply, sanitation program for local school and health care etc.	Noted and will be complied.
(iv)	All the conditions, liabilities and legal provisions contained in the EC shall be equally applicable to the successor management of the project in the event of the project proponent transferring the ownership, maintenance of management of the project to any other entity.	Noted.
(v)	Provision should be made for the supply of kerosene or cooking gas to the labourers during construction phase. All the labourers to be engaged for construction works should be screened for health and	Housing, fuel, toilets with soak pits & septic tank, safe drinking water, medical healthcare etc. will be provided to labors.

	adaquately treated before issue of work normite	
	adequately treated before issue of work permits. Environmental sanitation should be ensured for the workers.	
(vi)	The project proponent should make financial provision in the total budget of the project for implementation of the environmental safeguards. The project authorities will provide requisite funds both recurring and non-recurring to implement the conditions stipulated by the SEIAA, West Bengal along with the implementation schedule for all the conditions stipulated herein. The funds so provided should not be diverted for any other purpose.	Noted and will be complied.
(∨ii)	No further expansion or modifications in the plant should be carried out without prior approval of the State Level Environment Impact Assessment Authority, West Bengal. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by the SEIAA, West Bengal.	Yes, prior permission will be taken for further expansion.
(viii)	The West Bengal Pollution Control Board, who would be monitoring the implementation of environmental safeguards, should be given full cooperation, facilities and documents/ data by the project proponents during their inspection. A six monthly compliance report and the monitored data along with statistical interpretation shall be submitted to the WBPCB regularly. A complete set of all the documents should also be forwarded to the State Environmental Impact Assessment Authority, West Bengal.	Full cooperation will be provided during inspection of WBPCB. Six monthly compliance report and the monitored data along with statistical interpretation will be submitted to the WBPCB & SEIAA, West Bengal on regular basis.
(ix)	The State Level Environment Impact Assessment Authority, West Bengal reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (protection) Act. 1986, to ensure effective implementation of the suggested safeguard measures in a time-bound and satisfactory manner.	Noted.
(x)	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local people, if any, from whom suggestions/ representations were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	We have already sent EC letter to nearby gram panchayat on dated 19 June, 2017. The copy of environment clearance letter is available on the web site of Shree Cement Ltd. <u>www.shreecement.in</u> .
(xi)	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective zonal office of the WBPCB. The criteria pollutant levels namely: PM10, PM2.5, S02, NOx (ambient levels as well as stack emissions) or critical sectorial parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Status of environment clearance compliance is available on the web site of Shree Cement Ltd. <u>www.shreecement.in</u> Monitored data will be displayed at a convenient location near the main gate of the company in the public domain.

(xii)	the project has clearance by the S clearance letter at Control Board/ Co Website of the (http://envronment advertised within so the clearance letter that are widely cir	nent should inform the public that been accorded environmenta EIAA, West Bengal and copies of the re available with the State Pollutio mmittee and may also be seen a he SEIAA, West Benga swb.gov.in).This should be even days from the date of issue of er, at least in two local newspaper culated in the region of which on ernacular language of the localit	available on the web site of SEIAA WB www.environmentwb.gov.in We have already advertised in Begali Newspaper & Telegraph newspaper on dated 17 June 2017.
(xiii)	Control Board as we date of financial project by the cor	ties should inform the State Pollutio well as the SEIAA, West Bengal, th closure and final approval of th acerned authorities and the date of land development work/ project	e project will be informed to the State Pollution c Control Board as well as the SEIAA, West f Bengal.
(xiv)	The above stipulations would be enforced along with those under the Water (prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, the Public Liability Insurance Act, 1991, the Environment Impact Assessment Notification 2006 and their amendments.		f f t c
(xv)		s of the proponent and the name of	given below- Name of the Dr. Anil Kumar Trivedi, Sr. Contact person General Manager
	Address Telephone Number, Fax	Bangur Nagar, Post Box No. 33, Bewar 305 90 (Rajasthan) 01462228101-6,01462228119	with Designation(Environment)AddressBangur Nagar, Post BoxNo. 33, Bewar 305 90(Rajasthan)Telephone014622281016,014622281
	Numbere-mailshreebwr@shreecement.com.Name of the EnvironmentalM/s.Private Limitedand M/s.	Number, Fax 19 Number -mail shreebwr@shreecement. com. -mail -mail	
	Consultant	Envirotech East Pvt. Ltd	NameoftheM/s.EMTRCConsultantsEnvironmentalPrivateLimitedandM/s.ConsultantEnvirotechEastPvt.Ltd